
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





CONTENTS

| Highlights | | | | | | • | | • | | | • | | | | • | | | .11 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Lake States . | | | • | | • | | • | | | L | | | • | | • | • | • | . : |
| Central States | | • | • | • | • | • | • | • | • | | • | • | | ٠ | • | | • | . 8 |
| Appendix | • | | | | | | | | | | | | | | | | | .15 |

North Central Forest Experiment Station,
John H. Ohman, Director
Forest Service - U.S. Department of Agriculture
Folwell Avenue
St. Paul, Minnesota 55108

The cooperation of pulpmills using North Central States timber in 1973 is gratefully acknowledged. Thanks are also due the Michigan Department of Natural Resources for collecting data on the Michigan pulpmills.

THE AUTHORS

James E. Blyth, Principal Market Analyst, received his Bachelor's degree in forestry from Iowa State University in 1954, served 3 years in the Air Force as a Procurement Officer, and received his Master's degree in forest economics from Iowa State in 1960. He joined the Lake States Forest Experiment Station in St. Paul, Minnesota, in 1960 and worked on timber removals research in Forest Survey. In 1962 he transferred to the Duluth field office and did forest products marketing research in the Lake States for 4 years. In 1966, he returned to the St. Paul Office of the North Central Forest Experiment Station. He is now in charge of the timber products and removals

phase of the Forest Resources Evaluation Work Unit. He has authored more than 40 papers on forest industries, forest products marketing, and timber removals in the North Central Region.

Jerold T. Hahn is a Mensurationist for the Forest Evaluation Research Project at the Station. A graduate of the University of Illinois, Hahn holds both a Bachelor of Science and Master of Science in Forestry. Jerold spent his first 2 years with the North Central Station on a Forest Survey field crew and the last 8 as a mensuration and data-compilation expert specializing in computer analysis. He has authored several publications on volume and growth estimates, resource inventories, and forest products output.

HIGHLIGHTS

Lake States

Lake States pulpwood production surged to 5.5 million cords in 1974, the third consecutive year that production increased. Harvesting of all species groups, except spruce, increased. Output was an all-time high in each state-2.05 million cords in Wisconsin, 1.84 million cords in Michigan, and 1.58 million cords in Minnesota. Most of the additional wood cut above the 1973 level was used to increase woodyard inventories and supply new pulping capacity. Pulpmill capacity in 1974 was about 200 tons per day more than in 1973.

From 1965 to 1974 Lake States pulpwood production did not keep pace with the national trend.

For many years aspen has been the dominant pulpwood species, but its position is slipping. Softwood residue is becoming important in the pulpwood mix.

In 1967, Wisconsin overtook Michigan and became the leading pulpwood producer because its forests increased their share of the wood supplied to the large local pulp industry.

Central States

Pulpwood production hit a peak of 486,000 cords in 1974, the sixth record output in the last 7 years. Production rose because mills outside the area purchased more Central States wood. Hardwood residue, successfully substituted for roundwood, accounted for 58 percent of the pulpwood output. Missouri outproduced Illinois for the first time. If the average annual rate of growth in production in each State continues at the rate of the last decade, Missouri will be the top producer in 1976.

Pulping capacity fell to 1,415 tons per day. One large Illinois pulpmill is phasing out wood use in favor of wastepaper.

PULPWOOD PRODUCTION IN THE NORTH CENTRAL REGION, BY COUNTY, 1974

James E. Blyth and Jerold T. Hahn

This is the 16th annual report on the pulpwood harvest in Lake States counties and the 15th annual report on the Central States harvest. Pulpwood constitutes more than half of the timber products harvested annually in the Lake States (Michigan, Minnesota, and Wisconsin), and it is an important product in the Central States (Illinois, Indiana, Iowa, and Missouri).

Current detailed pulpwood production 1/ information is necessary for intelligent planning and decision-making in wood procurement, forest resource management, and forest industry development. Also, researchers need current pulpwood information for planning projects.

Pulpmills using North Central States timber in 1974 reported their pulpwood receipts by species groups and counties of origin. This report presents the results of the survey, analyzes the data where appropriate, compares results with 1973 or earlier years, and discusses trends in pulpwood production and use.

The Lake States and Central States are discussed separately because the timber types in each area are different and less information can be released about the Central States (more detailed data on pulpwood production and receipts in the Central States would reveal the operations of individual mills).

To provide more detailed species information for the Lake States than in

earlier reports, the pine group is now divided into jack, red, and white; birch is shown as white and yellow; and the "miscellaneous hardwood" group formerly reported is now presented as 12 separate species groups.

Minnesota Forest Survey Units differ from those formerly reported to conform to those being used in the fourth survey of Minnesota's forest resource. Appendix table 9 shows the new Unit names and counties within each Unit where pulpwood was harvested in 1974.

LAKE STATES

Production

Lake States pulpwood production climbed to 5.5 million cords in 1974, up 16 percent from 1973. This was the third consecutive year of record production. About half of the three-quarter million cord increase was used to build woodyard inventories. Additional pulping capacity in the Lake States absorbed a significant portion of the remainder.

Lake States mills consumed 99 percent of the pulpwood (table 1). Ninety-one percent was roundwood (including chips from roundwood); the remainder was residue from local wood-using plants. 2/ Most of the residue (85 percent) was hardwood. Use of Lake States residue as pulpwood increased four-fold during the last decade.

¹ Pulpwood production is defined as the annual pulpwood volume from timber land in a specified area that was received at all mills, whereas pulpwood receipts are defined as the volume of wood received by mills in a specified area regardless of the geographic source.

² Residue is the byproduct from saw-mills, veneer mills, cooperage mills, and other wood-using plants that is used for pulping. Residue includes slabs, edgings, veneer cores, sawdust, wood flour, and chips manufactured from these byproducts.

Table 1.--Froduction and imports of pulpwood,

Lake States, 1974

(In standard cords, unpeeled)

| SPECIES AND | : | PRODUCTION | BY STATES I | · | | IMPORTS | | WOTAL |
|--------------------------|---------------------|-----------------------|-------------------|-----------------------|---------------------------|--------------------|----------------|-------------------|
| DESTINATION | : MICHIGAN : | MINNESOTA: | | REGIONAL : TOTAL : | OTHER : U.S. 2/: | : CANADA : | | TOTAL RECEIPTS |
| BALSAM FIR | | | | | | | | |
| MICHIGAN | 32719 | 0 | 614 | 33333 | 0 | 0 | 0 | 3333 |
| MINNESOTA | 0 | 84107 | 0 | 84107 | 0 | 0 | 0 | 8410 |
| WISCONSIN | 41649 | 7140 | 84578 | 133367 | 0 | 66 | 66 | 13343 |
| EXPORTED 3/ | | 1064 | 0 | 1064 | 0 | 0 | 0 | |
| TOTAL | 74368 | 92311 | 85192 | 251871 | 0 | 66 | 66 | 25087 |
| CEDAR | | | | | | | | |
| MICHIGAN | 4665 | 0 | 242 | 4907 | 0 | 0 | 0 | 490 |
| JATOT | 4665 | 0 | 242 | 4907 | 0 | 0 | 0 | 490 |
| HE ML O CK | ========= | ========= | ========= | | :======= | ======== | | ======== |
| MICHIGAN | 27049 | 0 | 1427 | 28476 | 0 | 0 | 0 | 2847 |
| VISCONSIN | 25484 | Ö | 43244 | 68728 | 0 | 0 | 0 | 6872 |
| | | | | | | | | |
| JATOT | 52533 | 0 | 44671 | 97204 | 0 | . 0 | 0 | 9720 |
| JACK PINE | | | | | | | | |
| MICHIGAN | 999 7 9 | 0 | 348 | 100327 | 0 | 0 | 0 | 10035 |
| MINNESOTA | 0 909 7 9 | 162253 | 0 | 162253 | 1340 | 17855 | 19195 | 18144 |
| WISCONSIN EXPORTED 3/ | 90979 | 59408 9 7 9 | 196843 0 | 347230 979 | 47842 0 | 1501 0 | 49343 0 | 39657 |
| TOTAL | 190958 | 222640 | 197191 | 610789 | 49182 | 19356 | 68538 | 678348 |
| SI OTHE | ======== | ======== | | | ======== | ========= | | |
| RED PINE MICHIGAN | 49904 | 0 | 1092 | 50996 | 0 | 0 | 0 | 50996 |
| MINNESGTA | 0 | 3499 | 0 | 3499 | 0 | 0 | 0 | 349 |
| WISCONSIN | 8876 | 5622 | 79326 | 93824 | 0 | 0 | 0 | 9382 |
| JATOT | 58780 | 9121 | 80418 | 148319 | 0 | 0 | 0 | 14831 |
| HITE PINE | | | | | | | | |
| MICHIGAN | 4769 | 0 | 238 | 5007 | 0 | 0 | 0 | 500 |
| MINNESOTA WISCONSIN | 0 4194 | 7557 | 0 | 7557 17321 | 0 | 0 | 0 | 755 1732 |
| MINCOMATM | 4174 | | 13127 | 11251 | | | | 1,25 |
| JATOT, | 8963 | 755 7 | 13365 | 29885 | 0 | 0 | 0 | 2988 |
| PRUCE | | | | | | | | |
| MICHIGAN | 12053 | 0 | 41 | 12094 | 0 | 0 | 0 | 1209 |
| MINNESOTA | 0 | 141950 | 0 | 141950 | 0 | 300 | 300 | 14225 |
| WISCONSIN EXPORTED 3/ | 2 7 586 0 | 56989 7623 | 19267 | 103842 7623 | 0 | 5732 7 0 | 57327 | 16116 |
| CAPONIFI) 3/ | | | | | | | | |
| TOTAL | 39639 | 206562 | 19308 ======== | 265509 | 0 := == ======= | 57627 ======== | 5 7 627 | 31551 |
| AMARACK | | | | | | | | |
| MICHIGAN | 791 | 0 | 40 | 831 | 0 | 0 | 0 | 83 |
| MINNESOTA | 0 | 10003 | . 5.7 | 10003 | 0 | 0 | 0 | 1000 3570 |
| WISCONSIN | 922 | 33268 | 1517 | 35707 | 0 | | | 3570 |
| TOTAL. | 1713 | 43271 ========= | | 46541 | 0 | 0 | 0 | 4654 |
| SH | | | | | | | | |
| MICHIGAN | 9433 | 0 | 167 | 9600 | 0 | 0 | 0 | 960 |
| WISCONSIN | 2643 | 337 | 41450 | 44430 | 0 | 0 | 0 | 4443 |
| EXPORTED 3/ | 174 | 0 | 99 | 273 | 0 | 0 | 0 | |
| JATOT | 12250 | 337 | 41716 | 54303 | 0 | 0 | 0 | 5403 |
| SPEN | ======== | ======== | ======= | | | | | |
| MICHIGAN | 476065 | 0 | 5389 | 481454 | 0 | 0 | 0 | 48145 |
| MINNESOTA | 0 | 712357 | 0 | 712357 | 0 | 5895 | 5895 | 71825 |
| WISCONSIN | 227987 2293 | 90056 | 791341 | 1109384 | 0 | 69 0 | 69 0 | 110945 |
| EXPORTED 3/ | | 1410 | 502 | 4205 | 0 | | | |
| TOTAL | 706345 | 803823 | 797232 | 2307400 | 0 | 5964 | 5964 | 230915 |

(TABLE I CONTINUED ON NEXT PAGE)

| EDECTED ANID | : P | RODUCTION | BY STATES 1/ | · : | | IMPORTS | : | TOTAL |
|---|--|---------------------------|---|--|-----------------------|---|---|---|
| SPECIES AND DESTINATION | : M1CHIGAN : | MINNESOTA: | | REGIONAL : TOTAL : | OTHER : U.S. 2/: | CANADA : | | RECEIPTS |
| BALSAM POPLAR | 34942 | | 1401 | 36423 | 0 | ^ | ^ | 244.02 |
| MICHIGAN MINNESOTA | 0 | 0 23720 | 1481 | 23720 | ŏ | 0 5751 | 5751 | 36423 29471 |
| WISCONSIN | 17 | 23120 | Ŏ | 17 | ŏ | 2/21 | 2121 | 17 |
| EXPORTED 3/ | 42 | ő | ŏ | 42 | ŏ | ő | ŏ | i o |
| TOTAL | 35001 | 23720 | 1481 | 60202 | 0 | 5751 | 5751 | |
| | | | | 00202 | | | | 024[1 |
| BASSWOOD Michigan | 1485 | 0 | 0 | 1485 | 0 | 0 | 0 | 1485 |
| WISCONSIN | 17 | ĭ | 6629 | 6647 | ő | 0 | 0 | 664 |
| EXPORTED 3/ | 216 | ò | 113 | 329 | ő | Ŏ | ő | 004 |
| TOTAL | 1718 | 1 | 6742 | 8461 | 0 | 0 | 0 | 8132 |
| DEECH | 222222222 | | | | 205220522201 | | | 22888827722 |
| BEECH Michigan | 28724 | | 1416 | 30140 | | | | 30140 |
| WISCONSIN | 978 | ő | 3773 | 4751 | ő | ő | ő | 4751 |
| EXPORTED 3/ | 576 | 0 | 0 | 576 | ō | ő | ő | 413 |
| TOTAL | 30278 | 0 | 5189 | 35467 | 0 | 0 | 0 | 34891 |
| WITE BIDG! | | | | | ******** | | | ********* |
| WHITE BIRCH Michigan | 58407 | 22 | 1558 | 59987 | 0 | 0 | 0 | 59987 |
| MINNESOTA | 0 | 37387 | 1220 | 37387 | 0 | 0 | 0 | 37387 |
| WISCONSIN | 5876 | 6060 | 73612 | 85548 | 0 | 0 | ő | 85548 |
| EXPORTED 3/ | 155 | 526 | 251 | 932 | 0 | 0 | ő | (|
| TOTAL | 64438 | 43995 | 75421 | 183854 | 0 | 0 | 0 | 182922 |
| ELLOW BIRCH | 228223222 | | 3222222222 | 13000000000000 | ********** | | | |
| MICHIGAN | 16832 | 0 | 543 | 17375 | 0 | 0 | 0 | 17379 |
| WISCONSIN | 3433 | 36 | 25719 | 29188 | ő | Ō | ő | 29188 |
| TOTAL | 20265 | 36 | 26262 | 46563 | 0 | 0 | 0 | 4656 |
| COTTONWOOD | 2222222222 | | | ********* | | 125022002000 | | ********* |
| MICHIGAN | 126 | 0 | 0 | 126 | 0 | 0 | 0 | 120 |
| MINNESOTA | 0 | 1005 | ŏ | 1005 | ő | ő | ő | 100 |
| EXPORTED 3/ | Ö | 0 | 18 | 18 | o | ō | ō | |
| TOTAL | 126 | 1005 | 18 | 1149 | 0 | 0 | 0 | 113 |
| | | | | ******** | ******* | | | |
| ELM Michigan | 10447 | 0 | 346 | 10793 | 0 | | 0 | 10793 |
| MINNESOTA | 10447 | 1650 | 0 | 1650 | 0 | 0 | 0 | 1650 |
| WISCONSIN | 14815 | 515 | 133380 | 148710 | ő | 0 | 0 | 148710 |
| EXPORTED 3/ | 808 | 0 | 212 | 1020 | ő | ő | ő | 14011 |
| | 26070 | 2165 | 133938 | 162173 | 0 | 0 | 0 | 16115 |
| TOTAL | | | | | | | | ************ |
| | 222222222 | | | | ********** | | | |
| | 95 | | | 1403 | 0 | 192722222 | 0 | 140 |
| HICKORY | 95 95 | 0 | 1308 | 1403 1403 | 0 | | | 140 |
| HICKORY WISCONSIN TOTAL | 95 | 0 | 1308 | 1403 | 0 | 0 | 0 | 1400 |
| HICKORY Wisconsin Total Hard Maple | 95 95 | 0 | 1308 | 1403 | 0 | 0 | 0 | 1403 |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN | 95 95 ============================= | 0 | 1308 1308 1308 | 1403 1403 81397 | 0 | 0 | 0 | 1403 |
| HICKORY WISCONSIN TOTAL HARD MAPLE | 95 95 ======= 77870 32521 185 | 0 | 1308 | 1403 | 0 | 0 | 0 | 1403 |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN WISCONSIN | 95 95 77870 32521 185 | 0 0 897 0 | 1308 1308 3527 126628 186 | 1403 1403 81397 160046 371 241814 | 0 0 0 0 0 | 0 0 0 0 0 | 0 0 0 | 81397 160046 |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN WISCONSIN EXPORTED 3/ TOTAL | 95 95 77870 32521 185 | 0 0 897 0 | 1308 1308 3527 126628 186 | 1403 1403 81397 160046 371 241814 | 0 | 0 0 0 0 0 | 0 0 0 | 8139 ¹ 16004 ⁰ 24144; |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN WISCONSIN EXPORTED 3/ TOTAL SOFT MAPLE | 95 95 77870 32521 185 | 0 0 897 0 | 1308 1308 3527 126628 186 | 1403 1403 81397 160046 371 241814 | 0 0 0 0 | 0 0 0 0 | 000000000000000000000000000000000000000 | 81397 160046 |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN WISCONSIN EXPORTED 3/ TOTAL SOFT MAPLE MICHIGAN | 95 95 77870 32521 185 110576 | 0 0 897 0 897 | 1308 1308 3527 126628 186 130341 | 1403 1403 81397 160046 371 241814 | 0 0 0 0 0 | 0 | 0 0 0 0 | 140: 8139; 16004; 24144; |
| HICKORY WISCONSIN TOTAL HARD MAPLE MICHIGAN WISCONSIN EXPORTED 3/ TOTAL | 95 95 77870 32521 185 | 0 0 897 0 | 1308 1308 3527 126628 186 | 1403 1403 81397 160046 371 241814 | 0 0 0 0 | 0 0 0 0 | 000000000000000000000000000000000000000 | 8139 ¹ 16004 ⁰ 24144; |

(TABLE 1 CONTINUED ON NEXT PAGE)

| SDC-155 AND | : | PRODUCTION E | Y STATES 1 | / : | | IMPORTS | | 7074 |
|----------------------------|--------------|--------------|---|------------------|---------------------|----------|----------|-------------------|
| SPECIES AND DESTINATION | : WICHIGAN : | MINNESOTA: | | REGIONAL : | OTHER : U.S. 2/: | CANAOA : | TOTAL 1 | TOTAL RECEIPTS |
| REO OAK | | | | | | | | |
| MICHIGAN | 98437 | 0 | 159 | 98596 | 0 | 0 | 0 | 98596 |
| MINNESOTA WISCONSIN | 0 | 6851 | 0 | 6851 | 0 | 0 | 0 | 6851 |
| EXPORTEO 3/ | 41 53 | 162 | 80130 | 80333 | 0 | 0 | 0 | 80333 |
| EXPORTED 3/ | 23 | | 1408 | 1461 | 0 | 0 | 0 | 0 |
| TOTAL | 98531 | 7013 | 81697 | 187241 | 0 | 0 | 0 | 185780 |
| WHITE OAK | | | | | | | | |
| MICHIGAN | 4940 | 0 | 0 | 4940 | 0 | 0 | 0 | 4940 |
| WISCONSIN | 39 | 14 | 15502 | 15555 | ŏ | ő | ŏ | 15555 |
| EXPORTEO 3/ | 0 | 0 | 529 | 529 | Ŏ | ŏ | ŏ | 0 |
| TOTAL | 4979 | 14 | 16031 | 21024 | 0 | 0 | 0 | 20495 |
| | ========== | | | ********** | | | ******** | |
| OTHER HAROWOODS | | | | | | | | |
| MICHIGAN | 13954 | 0 | 693 | 14647 | 0 | 0 | 0 | 14647 |
| MINNESOTA | 0 | 1005 | 0 | 1005 | 0 | 0 | 0 | 1005 |
| WISCONSIN | 997 | 14 | 10482 | 11493 | 0 | 0 | 0 | 11493 |
| TOTAL | 14951 | 1019 | 11175 | 27145 | 0 | 0 | 0 | 27145 |
| TOTAL ROUNOWOOO | ========= | | ======================================= | | | ******* | ****** | |
| MICHIGAN | 1142538 | 22 | 21144 | 1163704 | 0 | 0 | 0 | 1163704 |
| MINNESOTA | 1142530 | 1193344 | | | | 29801 | - | |
| W1SCONS1N | 499321 | 260849 | 1021957 | 1193344 | 1340 47842 | 58963 | 31141 | 1224485 |
| EXPORTEO 3/ | 4852 | 11602 | 1821857 3443 | 2582027 19897 | 4/042 | 20402 | 106805 | 2688832 |
| EXPORTED 3/ | 4032 | 11002 | 3443 | 19097 | | | · | |
| TOTAL | 1646711 | 1465817 | 1846444 | 4958972 | 49182 | 88764 | 137946 | 5077021 |
| RESIQUE.SOFTWOOD | | | *** | | | **** | ****** | E#2222222 |
| MICHIGAN | 8932 | 0 | 527 | 9459 | 0 | 0 | 0 | 9459 |
| MINNESOTA | 0,32 | 34034 | 721 | 34034 | 10853 | 27839 | 38692 | 72726 |
| WISCONSIN | 3854 | 106 | 24215 | 28175 | 220907 | 7739 | 228646 | 256821 |
| EXPORTEO 3/ | 3948 | 773 | 1130 | 5851 | 0 | 0 | 0 | 0 |
| | | | | | | | | |
| TOTAL | 16734 | 34913 | 25872 | 77519 | 231760 | 35578 | 267338 | 339006 |
| RESIQUE + HARDWOODS | | | | | | | | |
| MICHIGAN | 138273 | 0 | 2992 | 141265 | 9298 | 0 | 9298 | 150563 |
| MINNESOTA | 0 | 69612 | 14455 | 84067 | 3314 | 7817 | 11131 | 95198 |
| W1SCONS1N | 31095 | 590 | 157591 | 189276 | 0 | 0 | 0 | 189276 |
| EXPORTEO 3/ | 9728 | 6576 | 5472 | 21776 | 0 | 0 | 0 | 0 |
| TOTAL | 179096 | 76778 | 180510 | 436384 | 12612 | 7817 | 20429 | 435037 |
| ALL WOOD WATERIAL | | | ========== | | | | ******* | |
| MiCHIGAN | 1289743 | 22 | 24663 | 1314428 | 9298 | 0 | 9298 | 1323726 |
| MINNESOTA | 1207143 | 1296990 | 14455 | 1311445 | 15507 | 65457 | 80964 | 1392409 |
| WISCONSIN | 534270 | 261545 | 2003663 | 2799478 | 268749 | 66702 | 335451 | 3134929 |
| EXPORTEO 3/ | 18528 | 18951 | 10045 | 47524 | 0 | 0 | 0 | 0 |
| TOTAL | 1842541 | 1577508 | 2052826 | 5472875 | 293554 | 132159 | 425713 | 5851064 |
| TOTAL | 1045241 | 1211200 | 2025050 | 3412013 | 673334 | 125123 | 452113 | 2021064 |

^{1/} VERTICAL COLUMNS OF FIGURES UNDER BOX HEADING -PRODUCTION BY STATES- PRESENT THE AMOUNT OF PULPWOOD CUT IN EACH STATE,
2/ MOSTLY WESTERN STATES.
3/ PULPWOOD SHIPPED TO MILLS OUTSIDE OF REGION.
4/ PONDEROSA PINE.

Pulpwood cutting from all species groups, except spruce, increased. Major gains were in aspen (271,000 cords) and pine (149,000 cords). Aspen harvesting rose more than 100,000 cords from the previous peak of 1966 while pine harvesting spurted more than 67,000 cords above its 1966 peak. Harvests of birch, tamarack, and miscellaneous hardwoods 3/ advanced to record levels also.

Because this is the first report with detailed species information on pine, birch, and miscellaneous hardwoods, these groups are discussed below.

More than three-fourths (77 percent) of the pine cut was jack pine. Four-fifths of the birch harvest was white birch (table 2). Hard maple, red oak, soft

Table 2.--Lake States roundwood pulpwood production from pine and birch by State, 1974

(In thousand cords)

| | : | Product | ion | |
|------------|-----------|-------------|-----------|------------------|
| Species | :Michigan | :Minnesota: | Wisconsin | :Total |
| Jack pine | 191 | 223 | 197 | 611 |
| Red pine | 59 | 9 | 80 | 148 |
| White pine | 9 | 8 | _13 | 30 |
| TOTAL | 259 | 240 | 290 | 789 |
| | | BIRCH | | |
| White birc | h 64 | 44 | 75 | 184 |
| Yellow bir | ch 20 | * | _26 | <u>46</u> 230 |
| TOTAL | 84 | 44 | 101 | 230 |

^{*} Less than 500 cords.

maple, and elm constituted 78 percent of the miscellaneous hardwoods production (table 3).

Wisconsin--The 2.05 million cord output was 294,000 cords higher than in 1973. Miscellaneous hardwoods (primarily maple and red oak) and pine led the advance, but cutting of all principal species increased. Although production rose in all parts of the State, the greatest gain was in central Wisconsin. Oneida, Price, and Lincoln counties led all others.

Michigan--Producers boosted their output sharply (16 percent) to 1.84 million cords. The largest gains were in aspen (103,000 cords), pine (55,000 cords), and miscellaneous hardwoods (59,000 cords). Output climbed more (129,000 cords) in the western Upper Peninsula than elsewhere. Top-producing counties were Marquette, Iron, and Dickinson.

Minnesota--Production increased to 1.58 million cords with the largest gain in aspen (131,000 cords). Demand for Minnesota pulpwood has expanded for three consecutive years. Northeastern Minnesota supplies more than half (58 percent) of the States pulpwood production. Topproducing counties were St. Louis, Koochiching, and Itasca.

The distribution of the harvest is shown in two ways: first, the amount of pulpwood cut relative to the merchantable

Table 3.--Lake States roundwood pulpwood production from miscellaneous hardwoods by species and State, 1974

(In thousand cords)

| | Proc | luction (th | ousand cor | ds) |
|-------------------------------|------------|-------------|------------|---------|
| Miscellaneous hardwoods | Michigar | :Minnesota | :Wisconsir | n:Total |
| Hard maple | 111 | 1 | 130 | 242 |
| Red oak | 98 | 7 | 82 | 187 |
| Soft maple | 90 | * | 76 | 166 |
| Elm | 26 | 2 | 134 | 162 |
| Balsam poplar | 35 | 24 | 1 | 60 |
| Ash | 12 | * | 42 | 54 |
| Beech | 3 0 | - | 5 | 35 |
| White oak | 5 | * | 16 | 21 |
| Basswood | 2 | * | 7 | 9 |
| Other miscellaneous hardwoods | 15 | 2 | _13 | 30 |
| TOTAL | 424 | 36 | 506 | 966 |

^{*} Less than 500 cords.

³ Miscellaneous hardwoods are all hardwoods except birch and aspen.

volume in major pulpwood species (fig. 1); and second, the amount of pulpwood cut relative to commercial forest area (fig. 2). Heaviest cutting pressure (per 1,000 cords of merchantable volume in principal pulpwood species) was in central Wisconsin and western Upper Michigan.

Receipts

Forty-one Lake States pulpmills received 5.85 million cords of pulpwood in 1974. Eight more mills used birch and four more used residue chips than in 1973 (table 4).

Receipts of spruce fell, but increased for other major species. For the fourth

successive year, the proportion of hard-wood procured increased. Two-thirds of the receipts was hardwood compared with 58 percent a decade earlier. Demand for softwood residue dropped slightly after rising each of the previous 5 years.

Canada furnished 31 percent of the imported wood. Softwood imports from Canada in 1974 slipped to the lowest recorded level. Deliveries of Canadian softwood roundwood continued the irregular long term downtrend established in 1952, but were partially offset by greater receipts of Canadian softwood residues. In 1969, the first Canadian softwood residue entered the Lake States for pulping and Canada now appears to be an established source.




Figure 1.--Cords of pulpwood belts and logs harvested per 1,000 cords of merchantable volume in principal pulpwood species by Forest Survey Unit, 1974. (The heavy lines delineate the boundaries of the Forest Survey Units in each State.)




Figure 2.--Cords of pulpwood cut per 1,000 acres of stocked commercial forest land in principal pulpwood-producing counties, 1974. Acres of stocked commercial forest land were determined during the last forest survey in each State.

Table 4.--Plants using the different species of wood for pulping in 1974
(In numbers)

| Species and kind of material | : Lake :States | Minnesota | Wisconsin | Michigan |
|------------------------------|-------------------|-----------|-----------|----------|
| Aspen | 39 | 9 | 22 | 8 |
| Balsam fir | 18 | 5 | 10 | 3 |
| Birch | 21 | 2 | 13 | 6 |
| Hemlock | 12 | - | 9 | 3 |
| Pine | 12 | 2 | 6 | 4 |
| Spruce | 21 | 5 | 13 | 3 |
| Tamarack | 6 | 1 | 4 | 1 |
| Maple | 17 | - | 10 | 7 |
| Oak | 12 | 2 | 5 | 5 |
| Other hardwoods | 19 | 2 | 11 | 5 |
| Wood chips (residue) | 20 | 6 | 9 | 5 |
| Slabwood and other | | | | |
| residue | _6 | 1 | 3 | 2 |
| Total Plants1/ | 41 | 9 | 24 | 8 |

 $\underline{1}/$ Some plants use more than one species, so numbers in columns cannot be added.

Western States supplied all but 4 percent of the imports from other parts of the United States. Wyoming and South Dakota each provided more than 70,000 cords, primarily as softwood chips.

Wisconsin--Wood deliveries surged ahead 438,000 cords, despite a large drop in spruce requirements. Pine and hardwood roundwood markets were excellent.

Minnesota--Pulpwood marketing expanded 169,000 cords. Demand for aspen and pine was strong; birch and hardwood residue markets weakened.

Michigan--Pulpwood demand rose moderately (125,000 cords), mainly in aspen. Hemlock, balsam fir, tamarack, spruce, and softwood residue markets slackened. Michigan mills received only 3 percent of the softwood residue deliveries in the Lake States.

Industry Trends and Analysis

Pulpmill capacity expanded from 10.0 to 10.2 thousand tons per day (table 5). Increases were in the sulfite and mechanical processes. No mills closed or changed ownership. The industry is continuing to invest significantly in pollution control equipment and in sawmills. Captive sawmills supply a reliable quantity of pulpwood from their residues.

During the last decade (1965-1974), Lake States pulpwood production did not keep pace with the national trend (fig. 3). In 1964, the Lake States produced 7.5 percent of the nation's pulpwood; in 1974, they produced 6.9 percent. During this period, pulp and paper industry growth was concentrated in the South. From 1971 to 1974, however, the Lake States relative position improved by 1 percent (from 5.9 to 6.9).

Aspen has been the dominant Lake States pulpwood species for many years, but its position is slipping (fig. 4). During the 1964-1971 period, aspen pulpwood output hovered close to half the total. By 1974, it had declined to 42 percent. Other hardwoods, both roundwood and residue, are increasing as a proportion of all pulpwood cut.

Pine and other softwood roundwood output has been stable since 1964. Use of Lake States softwood residue, minimal from 1964 to 1969, has risen every year since 1969 and is becoming more prominant in the pulpwood mix.

In the early 1960's, Michigan was the leading pulpwood producer. In 1967 Wisconsin took the lead and maintained it (fig. 5). Wisconsin production rose substantially in the last 10 years because the State's pulpmills increased their use of local wood from 53 percent of their requirements in 1964 to 64 percent in 1974. The greater use of hardwoods created opportunities for the mills to purchase more wood locally.

Minnesota almost overtook Michigan in production during 1972. Then, a large Michigan pulpmill expanded its capacity and purchased much more Michigan wood. Consequently, Michigan pulled away from Minnesota in production during 1973-1974.

CENTRAL STATES

Production

Central States producers raised their pulpwood output to 486,000 cords, a 7 percent gain over 1973. Production rose because mills outside the Central States increased their pulpwood purchases from the region. Most of the gain came from hardwood residue, which increased to 58 percent of pulpwood output (table 6).

Missouri outproduced Illinois for the first time and may not relinquish its new position. Missouri has several large markets within and near the Central States. In 7 of the last 8 years, Missouri expanded its output an average of 25 percent per year.

Loggers harvested pulpwood in 120 counties: 39 in Missouri, 34 in Illinois, 31 in Indiana, and 16 in Iowa (fig. 6). The pulpwood harvest area shrank in southwest Illinois and south central Indiana. Meanwhile, harvesting expanded to 4 more counties in Missouri and 3 more in Iowa than in 1973.

Receipts

The 13 Central States' mills received 353,000 cords of pulpwood, which is down 7 percent from 1973. More of their wood came from the Central States than in 1973. Imports declined 28,000 cords—15,000 cords of roundwood and 13,000 cords of residue. The mills bought hardwood residue heavily. Soft hardwood receipts fell to their lowest level since 1955. After recording peak receipts in 1973, Illinois mills procured 17 percent less wood.

Table 5.--Active woodpulp mills in the Lake States by location, type of pulp pro-duced, and capacity, 1974

| | : | \$ M | ILL CAPACIT | TY IN TONS | ER 24 HDURS I | / |
|---|---|---|-------------------|--|---|-------------------|
| COHPANY | t LOCATION t | i total i | SULFITE : | SULFATE : | GROUNDWDDD : AND DTHER : MECHANICAL : | SEMI- CHEMICAL |
| MICHIGAN: | AL DENIA | 430 | 0 | 0 | 430 | _ |
| ABITIBI CORP. CELOTEX CORP. HOERNER WALDORF CORP. MANISTIQUE PULP ANO PAPER CO. | ALPENA I ANSF | 270 | , a | 0 | 270 | 0 |
| HOERNER WALDORF CORP. | DNTONAGON | 220 | ŏ | ŏ | 210 | 220 |
| MANISTIQUE PULP AND PAPER CO. | MANISTIQUE | 90 | 0 | Ŏ | 90 | 0 |
| MEAO CORP. | ESCANABA | 750 | 0 | 600 | 150 | 0 |
| MENASHA CORP. | DTSEGO | 225 | 0 | 0 | 0 | 225 |
| PACKAGING CORP.OF AMERICA WARREN CO. + S.D. | MUSKEGON | 400 240 | 0 | 240 | 0 | 400 0 |
| ABITIBI CORP. CELOTEX CORP. HOERNER WALDORF CORP. MANISTIQUE PULP AND PAPER CO. MEAO CORP. MENASHA CORP. PACKAGING CORP.OF AMERICA WARREN CO., S.O. | 8 PLANTS | 2625 | 0 | 840 | 940 | 845 |
| | | | | | | - |
| BLANGIN PAPER CO. | GRAND RAPIOS | 250 | 6 | 0 | 170 | 80 |
| HENNEPIN PAPER CO. | LITTLE FALLS | 75 | ō | ŏ | 75 | 0 |
| BDISE CASCAGE CORP. | INTERNATIONAL FALLS | 770 | Ŏ | 320 | 450 | Ò |
| POTLATCH CORP. | CLDQUET | 520 | 120 | 400 | 0 | (|
| SUPERWOOD CORP. | BEMIDJI | 90 | 0 | 0 | 90 | 9 |
| ST REGIS PAPER CO. | SARTELL | 125 | 0 | 0 | 125 | (|
| HOFRNED WALDORF CORP. | ST PAIN | 350 | ŭ | 0 | 350 | 30 |
| CONWED CORP. | CLDQUET | 350 | 0 | ŏ | 350 | |
| AINNESOTA 1 BLANOIN PAPER CO. HENNEPIN PAPER CO. BDISE CASCAGE CDRP. POTLATCH CORP. SUPERWOOO CDRP. ST REGIS PAPER CO. SUPERWOOO CORP. HOERNER WALDORF CORP. CONWEO CORP. | 9 PLANTS | 2830 | 120 | 720 | 1610 | 380 |
| WISCONSIN: AMERICAN CAN CD. WEYERHAUSER CO. BADGER PAPER MILLS APPLETON PAPERS INC. CONSOLIOATED PAPERS, INC. CONSOLIOATED PAPERS, INC. CONSOLIOATED PAPERS, INC. GREEN BAY PACKAGING, INC. FLAMBEAU PAPER CD. KIMBERLY-CLARK CDRP. PENTAIR INDUSTRIES | | | | | | |
| AMERICAN CAN CD. | GREEN BAY | 210 | 150 | 0 | 60 | 0 |
| WEYERHAUSER CO. | ROTHSCHILD | 200 | 200 | 0 0 0 0 0 0 400 0 | 0 | (|
| BADGER PAPER HILLS | PESHTIGD | 110 | 110 | 0 | 0 | (|
| APPLETON PAPERS INC. | COMBINED LDCKS | 200 | | 0 | 200 | |
| CONSOLIDATED PAPERS , INC. | STEVENS POINT | 1/2 | 1/5 | 0 | 0 100 225 | |
| CONSOLIDATED PAPERS . INC. | WISCONSIN RAPIDS | 625 | ŏ | 400 | 225 | |
| GREEN BAY PACKAGING, INC. | GREEN BAY | 200 | ŏ | 0 | 0 | 200 |
| FLAMBEAU PAPER CO. | PARK FALLS | 115 | 0 115 0 | 0 | 0 | |
| KIMBERLY-CLARK CDRP. | KIMBERLY | 115 | 0 | 0 | 115 | 9 |
| | *************************************** | | 0 | 300 | 170 0 | 0 |
| MDSINEE PAPER MILLS CD. NEKODSA-EDWARDS PAPER CD. | MOSINEE NEKDOSA | 200 310 | 0 | 0 0 0 0 200 310 0 | 0 | |
| NEKODSA-EDWARDS PAPER CO. | | | 215 | 310 | Ŏ | |
| OWENS-ILLINDIS | TDMAHAWK | 620 | 0 | ŏ | Ö | 620 |
| CHARMIN PAPER PRODUCTS CO. | GREEN BAY | 2/ | <u>2</u> / 110 | 2/ | 2/ | 2/ |
| SCOTT PAPER CD. | OCONTO FALLS | 110 | 110 | U | U | |
| ST REGIS PAPER CD. FLINKOTE COMPANY | RHINELANDER | 120 | 120 | 0 | 0 | 9 |
| SUPERIAR ETRRE PRODUCTS CO. | CORNELL | 180 | Ů | 0 | 50 180 | 0 |
| THILMANY PULP AND PAPER CO | KAUKAUNA | 215 620 2/ 110 120 50 180 | 120 0 0 | 400 | 0 | 0 |
| TOMAHAWK PULP CO., INC. | TOMAHAWK | 50 | ŏ | Ö | 50 | Č |
| WAUSAU PAPER HILLS CD. | BROKAW | 165 | 185 | Ô | 0 | Č |
| THILMANY PULP AND PAPER CD TDMAHAWK PULP CO., INC. WAUSAU PAPER HILLS CD. EVANS PRODUCTS CD. | PHILLIPS | 100 | 0 | 0 | 100 | |
| TOTAL | 24 PLANTS | 4760 | 1380 | 1310 | 180 0 50 0 100 | 820 |
| ALL STATES | | | | | 3800 | |

^{1/} LOCKWDOO S DIRECTORY OF THE PAPER AND ALLIED INDUSTRIES-1975, AND 1975 DIRECTORY OF THE FOREST PRODUCTS INDUSTRY.
2/ CAPACITY NOT AVAILABLE.




Figure 3.--United States and Lake States pulpwood production indices, 1964-1974.

Average annual production for 1961-1963 = 100.




Figure 4.--Lake States pulpwood production by year and type of wood, 1964-1974.




Figure 5.--Lake States pulpwood production by State, 1964-1974.

Table 6.--Production and imports of pulpwood, Central States, 1974 (In standard cords, unpeeled) $\frac{1}{2}$ /

| CDECTES AND | 1 | PRODUCTI | ON BY STATE | s 2/ | : | | IMPORTS | : | 7074 |
|----------------------------|--------------|----------------|--|------------|-----------------------|--------------------|---------------------------|-------|----------|
| SPECIES AND DESTINATION | : ILL1No1s : | : INDIANA : | lowa : | MISSDUR1 : | REGIDNAL : TOTAL : | LAKE : STATES : | OTHER : | | RECEIPTS |
| SOFTWOODS | | | | | | | | | |
| 1LL1ND1S | 1532 | 0 | 0 | 210 | 1742 | 0 | 0 | 0 | 1742 |
| EXPORTED 3/ | 1174 | 0 | 0 | 146 | 1320 | 0 | 0 | 0 | 0 |
| TOTAL | 2706 | 0 | 0 | 356 | 3062 | 0 | 0 | 0 | 1742 |
| SOFT HARDWOODS | | | *======= | | | | | ***** | **** |
| 1LL1ND1S | 27488 | 6761 | 0 | 835 | 35084 | 444 | 0 | 444 | 35528 |
| IND 10WA . MO. 4/ | 3382 | 12651 | 12902 | 12648 | 41583 | 2448 | Ŏ | 2448 | 44031 |
| EXPORTED 3/ | 3366 | 3859 | 0 | 3182 | 10407 | 0 | ŏ | 0 | 0 |
| TOTAL | 34236 | 23271 | 12902 | 16665 | 87074 | 2892 | 0 | 2892 | 79559 |
| HARD HARDWOODS | ******** | | ====================================== | | | ****** | | | ******** |
| ILLINOIS | 13478 | 3819 | 0 | 884 | 18181 | 0 | 0 | 0 | 18181 |
| 1ND. + 10WA+MO. 4/ | 4011 | 12585 | 25023 | 5368 | 46987 | 2222 | ŏ | 2222 | 49209 |
| EXPORTED 3/ | 6253 | 18104 | 0 | 10219 | 34576 | 222 | Ď | 0 | 0 |
| - | | | | | | | | | |
| TOTAL | 23742 | 34508 | 25023 | 16471 | 99744 | 2222 | 0 | 2222 | 67390 |
| TOTAL ROUNDWOOD | * | | | | | | | | |
| 1LL1N01S | 42498 | 10580 | 0 | 1929 | 55007 | 444 | 0 | 444 | 55451 |
| IND IOWA . MO. 4/ | 7393 | 25236 | 37925 | 18016 | 88570 | 4670 | 0 | 4670 | 93240 |
| EXPORTED 3/ | 10793 | 21963 | 0 | 13547 | 46303 | 0 | 0 | 0 | 0 |
| TOTAL | 60684 | 57779 | 37925 | 33492 | 189880 | 5114 | 0 | 5114 | 148691 |
| RESIDUE+SOFTWOOD | **======= | | ****** | | | | . 2 2 3 3 3 3 3 3 5 5 5 5 | | |
| ILLINOIS | 1033 | 0 | 4877 | 5655 | 11565 | 5078 | 4495 | 9573 | 21138 |
| IND IOWA . MO. 4/ | Ō | Ó | Ò | 0 | 0 | 0 | 4800 | 4800 | 4800 |
| EXPORTED 3/ | Ô | Ó | 0 | 2443 | 2443 | Ö | 0 | 0 | 0 |
| TOTAL | 1033 | 0 | 4877 | 8098 | 14008 | 5078 | 9295 | 14373 | 25938 |
| RESIDUE+HARDWOODS | | | ****** | | | | | ***** | |
| 1LL1N015 | 36089 | 2840 | 2954 | 30196 | 72079 | 11089 | 18 | 11107 | 83186 |
| 1ND 10WA . MO. 4/ | 11669 | 45502 | 10586 | 20382 | 88139 | 5366 | 2057 | 7423 | 95562 |
| EXPORTED 3/ | 22735 | 52874 | 2286 | 43918 | 121813 | 0 | 0 | 0 | 0 |
| TOTAL | 70493 | 101216 | 15826 | 94496 | 282031 | 16455 | 2075 | 18530 | 178748 |
| ALL WOOD MATERIAL | | | 92222233 | | | | | | |
| ILLINOIS | 79620 | 13420 | 7831 | 37780 | 138651 | 16611 | 4513 | 21124 | 159775 |
| IND.+10WA+MO. 4/ | 19062 | 70738 | 48511 | 38398 | 176709 | 10036 | 6857 | 16893 | 193602 |
| EXPORTED 3/ | 33528 | 74837 | 2286 | 59908 | 170559 | 10030 | 0 | 0 | 0 |
| TOTAL | 132210 | 158995 | 58628 | 136086 | 485919 | 26647 | 11370 | 38017 | 353377 |

^{1/} FACTORS USED IN CONVERTING TO STANDARD GREEN CORDS (128 CU. FT.) WERE:
4,500 POUNDS OF SOFT HARDWOOD ROUNDWOOD;
5,000 POUNDS OF HARD HARDWOOD OR CONIFEROUS ROUNDWOOD;
4,100 POUNDS OF SOFTWOOD CHIPS (GREEN);
2,500 POUNDS OF CHIPS (ALL SPECIES DRY)

2/ VERTICAL COLUMNS OF FIGURES UNDER BOX HEADING -PRODUCTION BY STATES- PRESENT THE AMOUNT OF PULPWOOD CUT IN EACH STATE.

3/ PULPWOOD SHIPPED TO MILLS OUTSIDE THE REGION.
4/ COMBINED TO PREVENT DISCLOSURE OF INDIVIDUAL MILL RECEIPTS.




Figure 6.--Harvest of pulpwood bolts in the Central States by counties, in standard cords, 1974.

Industry Trends and Analysis

Pulping capacity was 1,415 tons per day, 100 tons below 1973 (table 7). One national firm is converting its large pulping operation in Illinois to use of wastepaper from a combination of pulpwood and wastepaper. Loss of this mill will be temporarily unsettling to its wood supplies. The long term affects on these

producers is uncertain because other pulpmills in the area will buy wood from some of them.

Hardwood residue became the dominant source of Central States pulpwood in 1968 and is extending its position yearly (fig. 7). Since 1964 soft hardwood pulpwood harvests declined irregularly while hard hardwood harvests generally rose until 1970, then began declining.

Table 7.--Active woodpulp mills in the Central States by location, type of pulp produced, and capacity, 1974

| | | ! | | TY IN TONS | ER 24 HOURS | 1/ |
|--|--------------------|---------------|---|------------|---|---------|
| COMPANY | LOCATION | i | 1 | SULFATE I | GROUNDWOOD : AND OTHER : MECHANICAL : | |
| ILLINOIS: | 44 701 | | | | | - ^ ^ |
| ALTON BOX BOARD CO. BIRD AND SON . INC. | ALTON CHICAGO | 200 40 | 0 | 0 | 0 40 | 200 |
| CELOTEX CORP. | PEORIA | 190 | 0 | ŏ | 190 | 0 |
| CERTAIN-TEED PRODUCTS CORP. | EAST ST LOUIS | 100 | o | Ö | 100 | Ġ. |
| FLINTKOTE CO . THE | HT CARMEL | 40 | 0 | 0 | 40 | 0 |
| GAF CORP. JOHNS-MANVILLE PRODUCTS CORP. | JOLIET WAUKEGAN | 100 65 | 0 | 0 | 100 | 0 |
| CELOTEX CORP. | WILMINGTON | 30 | 0 | 0 | 65 30 | 0 |
| TOTAL | 8 PLANTS | 769 | 0 | 0 | 565 | 200 |
| INDIANA : | | 8000000000000 | | | 10222454525 | ******* |
| | TERRE HAUTE | 270 | 0 | 0 | 0 | 270 |
| TOTAL | 1 PLANT | 270 | 0 | 0 | 0 | 270 |
| IOWA : | | | | | | |
| CELOTEX CORP. | DUBUQUE | 90 | 0 | 0 | 0 | 90 |
| CONSOLIDATED PACKAGING CORP. | FORT MADISON | 140 | 0 | 0 | 0 | 140 |
| TOTAL | 2 PLANTS | 230 | 0 | 0 | 0 | 230 |
| MISSOURI # | | | | | | |
| GAF CORP. | KANSAS CITY | 90 | 0 | 0 | 90 | 0 |
| HUEBERT FIBREBOARD, INC. | BOONEVILLE | 60 | 0 | 0 | 60 | 0 |
| TOTAL | 2 PLANTS | 150 | 0 | 0 | 150 | 0 |
| ALL STATES | 13 PLANTS | 1415 | 0 | 0 | 715 | 700 |

^{1/} LOCKWOOD S DIRECTORY OF THE PAPER AND ALLIED INDUSTRIES-1975, AND 1975 DIRECTORY OF THE FOREST PRODUCTS INDUSTRY.
2/ CAPACITY NOT AVAILABLE.




Figure 7.--Central States pulpwood production by year and type of wood, 1964-1974.

Hardwood residue has been successfully substituted for roundwood for several reasons. Strict air pollution control laws and enforcement caused many sawmills and veneer mills to find pulpwood

markets for their wood residues. Many mills sell residue chips profitably. Pulpmill operators like residue chips because they require less handling and processing than roundwood, use less storage space, and the supply is steady except during deep recessions.

All four Central States increased pulpwood production from 1964 to 1974 (fig. 8). If the average annual rate of growth in output during this period continues in each State, Missouri will be the top producer in 1976.




Figure 8.--Central States pulpuóod production by State, 1964-1974.

* * *

Other detailed pulpwood production, receipt, and trend data are found in the Appendix.


XI CM 3 9 A N I S M I S

Table 8.--Lake States pulpwood production by State of origin and destination, 1970-1974

(In thousand standard cords)

Michigan

| Year | :Total:_ | De | stination o | f pulpwood | <u> 1</u> |
|--------------|----------|---------|-------------|------------|-----------|
| - Tear | : cut :M | innesot | a:Wisconsin | :Michigan | Other |
| 1970 | 1,406 | | 610 | 785 | 11 |
| 1971 | 1,267 | | 567 | 688 | 12 |
| 1972 | 1,401 | | 470 | 917 | 14 |
| 1973 | 1,585 | | 418 | 1,131 | 36 |
| 1974 | 1,843 | | 534 | 1,290 | 19 |
| 5-Year avera | ge 1,500 | | 520 | 962 | 18 |



Minnesota

| Year | :Total: | Dest | ination of | pulpwoo | bc |
|----------------|----------|------------|------------|----------|---------|
| | : cut :1 | Minnesota: | Wisconsin: | Michigan | n:Other |
| 1970 | 1,224 | 981 | 219 | * | 24 |
| 1971 | 1,196 | 992 | 1.88 | * | 16 |
| 1972 | 1,354 | 1,168 | 166 | | 20 |
| 1973 | 1,376 | 1,152 | 194 | * | 30 |
| 1974 | 1,578 | 1,297 | 262 | * | 19 |
| 5-Year average | 1,346 | 1,118 | 206 | * | 22 |

*Less than 500 cords.

SHIPPED OUT

SHIPPED OUT

SHIPPED OUT

SHIPPED OUT

OF THE PROPERTY OF THE PRO

Wisconsin

| Year | :Total:_ | Des | tination of | pulpwoo | od . |
|--------------|-----------|----------|-------------|----------|---------|
| | : cut :M: | innesota | :Wisconsin: | Michigan | n:Other |
| 1970 | 1,656 | 11 | 1,627 | 10 | 8 |
| 1971 | 1,552 | 35 | 1,502 | * | 15 |
| 1972 | 1,537 | 28 | 1,493 | 2 | 14 |
| 1973 | 1,758 | 14 | 1,671 | 55 | 18 |
| 1974 | 2,053 | 14 | 2,004 | 25 | 10 |
| 5-Year avera | ge 1,711 | 20 | 1,659 | 18 | 13 |

*Less than 500 cords.




Table 9.--Lake States pulpwood production by Forest Survey Unit and destination by State, 1974 (In hundred standard cords, roughwood basis)

| | | M | ICHIGAN | | | |
|------------------------------|---|--------------|-----------|--------------|----------------------|------------------|
| UNIT | : | TOTAL :- | | STINATION | OF PULPWOOD | |
| ONIT | : | | | MINNESOTA | :WISCONSIN: | OTHER |
| | | | | | | |
| E. UPPER PENINSULA | | 4666 | 2725 | 0 | 1941 | 0 |
| W. UPPER PENINSULA | | 6917 | 3534 | 0 | 3270 | 113 |
| N. LOWER PENINSULA | | 6141 | 5966 | 0 | 131 | 44 |
| S. LOWER PENINSULA | | 700 | 672 | 0 | 0 | 28 |
| TOTAL | | 18424 | 12897 | 0 | 5342 | 185 |
| | | | | | | |
| | | М | INNESOTA | | | |
| | : | : | DE | STINATION | OF PULPWOOD | |
| UNIT | | TOTAL :- | | | | |
| | : | CUT : | MICHIGAN | MINNESOTA | :WISCONSIN: | OTHER |
| | | | | | | |
| NORTHEASTERN CENTRAL PINE | | 9168 5637 | 0 0 | 7540 4508 | 1529 1038 | 9 9 91 |
| RAINY RIVER | | 936 | 0 | 914 | 22 | 0 |
| SOUTHEASTERN | | 34 | 0 | 8 | 26 | ŏ |
| TOTAL | | 15775 | | 12970 | 2615 | 190 |
| IVIAL | | 12//2 | · | 12970 | 5012 | 190 |
| | | | | | | |
| | | ₩ | ISCONSIN | | | |
| | : | : | DE | STINATION | OF PULPWOOD | |
| UNIT | : | | | | | 07450 |
| | | | HICHIGAN: | HINNESUIA | WISCONSIN: | OTHER |
| MOOTHEACTEDAL | | 0.50 | 22/ | | .225 | • |
| NORTHEASTERN NORTHWESTERN | | 8459 7309 | 234 12 | 0 22 | 822 5 7275 | 0 |
| CENTRAL | | 4131 | 0 | 40 | 4081 | 10 |
| SOUTHWESTERN | | 378 | Ö | 83 | 220 | 75 |
| SOUTHEASTERN | | 251 | 0 | 0 | 236 | 15 |
| TOTAL | | 20528 | 246 | 145 | 20037 | 100 |
| | | | | | | |

Table 10.--Lake States pulpwood production by species, State, and Forest Survey Unit, 1970-1974

(In thousand standard cords, roughwood basis)

Michigan

| | : | I | Aspen | | | : | Ва | lsam | fir | |
|------------------------|-------|--------|-------|-------|--------|--------|-------|-------|-------|------|
| Unit | : A: | nual | Prod | uctio | n | An | nual | Produ | ction | |
| | :1970 | :1971: | 1972 | :1973 | :1974: | :1970: | 1971: | 1972: | 1973: | 1974 |
| E. 1/2 Upper Peninsula | 124 | 125 | 89 | 93 | 119 | 41 | 26 | 33 | 41 | 40 |
| W. 1/2 Upper Peninsula | 180 | 177 | 188 | 225 | 294 | 25 | 2.5 | 24 | 26 | 32 |
| N. 1/2 Lower Peninsula | 288 | 242 | 241 | 275 | 282 | * | 1 | 3 | 2 | 2 |
| S. 1/2 Lower Peninsula | 4 | 3 | . 11 | _10 | 11 | | | | | |
| Total | 596 | 547 | 529 | 603 | 706 | 66 | 52 | 60 | 69 | 74 |
| | | | | | | | | | | |
| | | Mi | innes | ota | | | | | | |
| Newshare | 226 | 220 | 272 | / 07 | 1.00 | 2.2 | 20 | / 0 | 37 | 52 |
| Northern aspen-birch | 326 | 328 | 373 | 407 | 460 | 23 | 20 | 40 | | - |
| Northern pine | 256 | 249 | 264 | 228 | 282 | 22 | 20 | 26 | 28 | 41 |
| Central hardwood | 18 | 31 | 52 | 38 | 62 | × | | | * | |
| Prairie | | | | | | | | | | |
| Total | 600 | 608 | 689 | 673 | 804 | 45 | 40 | 66 | 65 | 93 |
| | | Uic | cons | in | | | | | | |
| | | WIS | cous. | 111 | | | | | | |
| Northeastern | 430 | 402 | 349 | 380 | 383 | 40 | 35 | 25 | 34 | 49 |
| Northwestern | 296 | 302 | 311 | 331 | 342 | 29 | 19 | 23 | 32 | 35 |
| Central | 44 | 31 | 23 | 46 | 71 | * | * | 1 | 1 | 1 |
| Southwestern | * | | 1 | 3 | 1 | | | | | |
| Southeastern | 1 | 1 | * | 1 | * | | | | | |
| Total | 771 | 736 | 684 | 761 | 797 | 69 | 54 | 49 | 67 | 85 |
| Lake States | 1,967 | 1,891 | 1,902 | 2,037 | 2,307 | 180 | 146 | 175 | 201 | 252 |

^{*}Less than 500 cords.

Michigan

| : | | | Bircl | n | | : | | Hemlock | | |
|------------------------|--------|-------|----------|--------|--------|--------|--------|----------|-------|--------|
| Unit : | | Annua | 1 Produc | ction | | : | Annı | al Produ | ction | |
| : | 1970 : | 1971: | 1972: | 1973 | : 1974 | : 1970 | : 1971 | : 1972 : | 1973 | : 1974 |
| E. 1/2 Upper Peninsula | 4 | 1 | 10 | 19 | 24 | 17 | 8 | 17 | 22 | 13 |
| W. 1/2 Upper Peninsula | 2 | 3 | 7 | 16 | 35 | 52 | 34 | 33 | 36 | 39 |
| N. 1/2 Lower Peninsula | 27 | 19 | 19 | 25 | 25 | * | | | | * |
| S. 1/2 Lower Peninsula | | | | | * | | | | | |
| Total | 33 | 23 | 36 | 60 | 84 | 69 | 42 | 50 | 58 | 52 |
| | | | Minne | esota | | | | | | |
| Northern aspen-birch | 18 | 9 | 16 | 18 | 15 | | | | | |
| Northern pine | 12 | 26 | 26 | 23 | 24 | | | | | |
| Central hardwood | 1 | * | * | 1 | 5 | | | | | |
| Prairie | * | | | | * | | | | | |
| Total | 31 | 35 | 42 | 42 | 44 | | | | | |
| | | | Wis | consin | | | | | | |
| Northeastern | 32 | 22 | 20 | 30 | 38 | 33 | 28 | 26 | 21 | 32 |
| Northwestern | 42 | 28 | 26 | 40 | 59 | 16 | 13 | 13 | 10 | 9 |
| Central | 2 | 1 | * | 1 | 5 | 3 | 1 | 2 | 1 | 3 |
| Southwestern | | | 1 | 1 | * | | | | | |
| Southeastern | | | | | * | | | | * | 1 |
| Total | 76 | 51 | 47 | 72 | 102 | 52 | 42 | 41 | 32 | 4.5 |
| Lake States | 140 | 109 | 125 | 174 | 230 | 1 21 | . 84 | 91 | 90 | 97 |

*Less than 500 cords.

(TABLE 10 CONTINUED ON NEXT PAGE)

(TABLE 10 CONTINUED)

| : | | | Pine | | | : | | | Spruce | | |
|------------------------|------|--------|---------|----------|--------|-----|-------|------|----------|-------|--------|
| Unit : | | Annu | al Prod | | | : | | Annu | al Produ | ction | |
| : | 1970 | : 1971 | : 1972 | : 1973 | : 1974 | : 1 | 970 : | 1971 | : 1972 : | 1973 | : 1974 |
| E. 1/2 Upper Peninsula | 57 | 80 | 84 | 67 | 87 | | 29 | 22 | 20 | 28 | 19 |
| W. 1/2 Upper Peninsula | 34 | 41 | 37 | 36 | 36 | | 22 | 22 | 18 | 18 | 20 |
| N. 1/2 Lower Peninsula | 145 | 110 | 102 | 88 | 127 | | * | 1 | | * | 1 |
| S. 1/2 Lower Peninsula | 4 | 4 | 5 | 12 | 9 | | | | | | |
| Total | 240 | 235 | 228 | 203 | 259 | | 51 | 45 | 38 | 46 | 40 |
| | | | Mi | innesota | 3 | | | | | | |
| Northern aspen-birch | 136 | 142 | 136 | 125 | 139 | | 122 | 119 | 140 | 159 | 154 |
| Northern pine | 83 | 72 | 79 | 77 | 98 | | 59 | 49 | 52 | 54 | 51 |
| Central hardwood | 2 | * | 1 | 3 | 2 | | * | | | * | * |
| Prairie | | | | * | * | | | | * | 2 | 2 |
| Total | 221 | 214 | 216 | 205 | 239 | | 181 | 168 | 192 | 215 | 207 |
| | | | W | sconsi | n | | | | | | |
| Northeastern | 72 | 68 | 53 | 43 | 62 | | 12 | 9 | 9 | 10 | 13 |
| Northwestern | 96 | 105 | 99 | 100 | 100 | | 4 | 3 | 4 | 6 | 6 |
| Central | 87 | 93 | 90 | 85 | 125 | | * | * | * | | * |
| Southwestern | 2 | 1 | 2 | 3 | 2 | | | | | | |
| Southeastern | 2 | 1 | 2 | 1 | 2 | | | | | | * |
| Total | 259 | 268 | 246 | 232 | 291 | | 16 | 12 | 13 | 16 | 19 |
| Lake States | 720 | 717 | 690 | 640 | 789 | | 248 | 225 | 243 | 277 | 266 |

^{*}Less than 500 cords.

Michigan

| : | | | Tamaracl | ζ | | : | Miscell | aneous | hardwo | ods |
|------------------------|------|--------|-----------|---------|------|--------|----------|--------|---------|-------|
| Unit : | | Annu | ial prodi | iction | | : | Annual | produ | ction | |
| : | 1970 | : 1971 | : 1972 | 1973 | 1974 | : 1970 | : 1971 : | 1972 | : 1973 | 1974 |
| E. 1/2 Upper Peninsula | 2 | 1 | 2 | 2 | 1 | 18 | 14 | 50 | 93 | 124 |
| W. 1/2 Upper Peninsula | 1 | 2 | 1 | 3 | 1 | 28 | 41 | 97 | 123 | 148 |
| N. 1/2 Lower Peninsula | | | | | | 143 | 136 | 153 | 145 | 144 |
| S. 1/2 Lower Peninsula | | | | | | 7 | 6 | 9 | 5 | 8 |
| Total | 3 | 3 | 3 | 5 | 2 | 196 | 197 | 309 | 366 | 424 |
| | | | Mil | nnesota | | | | | | |
| Northern aspen-birch | 10 | 8 | 12 | 14 | 25 | 20 | 18 | 29 | 29 | 24 |
| Northern pine | 25 | 23 | 19 | 17 | 18 | 3 | * | 1 | 2 | 6 |
| Central hardwood | | | | 1 | | 4 | 12 | | 5 | 6 |
| Prairie | 1 | 1 | * | 1 | * | | | | | * |
| Total | 36 | 32 | 31 | 33 | 43 | 27 | 30 | 30 | 36 | 36 |
| | | | W1: | sconsin | | | | | | |
| Northeastern | 2 | 2 | 2 | 1 | 1 | 110 | 105 | 128 | 150 | 183 |
| Northwestern | 2 | 1 | 1 | * | 1 | 79 | 67 | 84 | 104 | 140 |
| Central | * | * | * | | * | 99 | 89 | 111 | 136 | 174 |
| Southwestern | | | | | | 4 | 5 | 5 | 6 | 3 |
| Southeastern | | | | | | 4 | 3 | 5_ | 4 | 6 |
| Total | 4 | 3 | 3 | 1 | 2 | 296 | 269 | 333 | 400 | 50€ |
| Lake States | 43 | 38 | 37 | 39 | 47 | 519 | 496 | 672 | 802 | 966 |
| *Less than 500 cor | 40 | | | | | (TADIT | 10 CONT | TAILED | ON NEVE | DACEL |

^{*}Less than 500 cords.

(TABLE 10 CONTINUED ON NEXT PAGE)

Michigan

| (TABLE 10 CONTINUED) | | | | | | | | | | |
|------------------------|-------|----------|---------|---------|------|----------|-------|---------|--------|-------|
| | | | Residue | | | <u>:</u> | | 11 spec | | |
| Unit : | | | ıl prod | | | .: | | al prod | | |
| <u> </u> | | : 1971 : | | | 1974 | | | | : 1973 | |
| E. 1/2 Upper Peninsula | 37 | 40 | 36 | 35 | 36 | 329 | 317 | 344 | 400 | 466 |
| W. 1/2 Upper Peninsula | 63 | 36 | 54 | 80 | 85 | 407 | 381 | 460 | 563 | 692 |
| N. 1/2 Lower Peninsula | 12 | 12 | 20 | 21 | 33 | 615 | 521 | 538 | 556 | 614 |
| S. 1/2 Lower Peninsula | 40 | 35 | 33 | 40 | 42 | 55 | 48 | 58 | 67 | 70 |
| Total | 152 | 123 | 143 | 176 | 196 | 1,406 | 1,267 | 1,400 | 1,586 | 1,842 |
| | | | Mir | nnesota | | | | | | |
| Northern aspen-birch | *** | *** | *** | *** | 48 | *** | *** | *** | *** | 917 |
| Northern pine | *** | *** | *** | *** | 44 | *** | *** | *** | *** | 564 |
| Central hardwood | *** | *** | *** | *** | 19 | *** | *** | *** | *** | 94 |
| Prairie | *** | *** | *** | *** | 1 | *** | *** | *** | *** | 3 |
| Total | 83 | 69 | 88 | 108 | 112 | 1,224 | 1,196 | 1,354 | 1,377 | 1,578 |
| | | | Wis | sconsin | | | | | | |
| Northeastern | 43 | 42 | 43 | 80 | 85 | 774 | 713 | 655 | 749 | 846 |
| Northwestern | 17 | 17 | 18 | 32 | 39 | 581 | 555 | 579 | 655 | 731 |
| Central | 20 | 24 | 20 | 31 | 34 | 255 | 239 | 247 | 301 | 413 |
| Southwestern | 24 | 26 | 27 | 22 | 32 | 30 | 32 | 36 | 35 | 38 |
| Southeastern | 9 | 8 | 13 | 12 | 16 | 16 | 13 | 20 | 18 | 25 |
| Total | 113 | 117 | 121 | 177 | 206 | 1,656 | 1,552 | 1,537 | 1,758 | 2,053 |
| Lake States | 348 | 309 | 352 | 461 | 514 | 4,286 | 4,015 | 4,291 | 4,721 | 5,473 |
| * Less than 500 co | ords. | | | | | | | | | |

^{**} Includes residue, and small quantity of cedar not shown in other parts of table.

^{***} Not available.




Figure 1.—Cords of pulpwood bolts and logs harvested per 1,000 cords of merchantable volume in principal pulpwood species by Forest Survey Unit, 1974. (The heavy lines delineate the boundaries of the Forest Survey Units in each State.)

| (TADIE | 11 | CONTINUED) |
|--------|----|------------|
| | | |

| (TABLE 11 CONTINUED) | | | | | | | | | | | | | |
|----------------------|------|--------------|--------------|-------------|-------|--------------|--------|--------------|--------------|--------------|------------|-------------|----------------|
| | : | 1 | : | 1 | : | : | 1 | 1 | : | 1 | : | OTHERS | |
| UNIT AND | 1 | 1 | | YELLOW: CO | | 1 | 1 | HARD: | SOFTE | RED: | WHITE | HARD-1 | |
| COUNTY 1/ | : 8 | EECH! | 81RCH: | B1RCH: | MOOD: | ELM : H | ICKORY | MAPLE: | MAPLE | OAKI | OAK 8 | WOODS | SPECIES |
| | | | | | | | | | | | | | |
| E. UPPER PENINSULA | | c 0 3 0 | 24.05 | 053 | 0 | 794 | | 4150 | 4210 | *** | | | 40110 |
| ALGER CH1PPEWA | | 6839 1351 | 2625 1040 | 853 177 | ŏ | 163 | 0 | 6158 1256 | 4318 888 | 118 22 | 0 | 1584 283 | 49112 |
| DELTA | | 4054 | 4311 | 770 | ŏ | 1265 | 0 | 5227 | 4131 | 106 | 17 | 1145 | 94997 |
| LUCE | | 5574 | 3070 | 768 | ŏ | 558 | ŏ | 5024 | 3557 | 91 | 10 | 1084 | 66825 |
| MACKINAC | | 1958 | 1872 | 386 | ŏ | 405 | ŏ | 2337 | 1697 | 47 | o | 477 | 25676 |
| MENOM INEE | | 2594 | 3035 | 496 | ŏ | 4582 | 95 | 6679 | 3228 | 96 | 17 | 562 | 84494 |
| SCHOOLCRAFT | | 5062 | 3669 | 839 | ŏ | 1059 | 0 | 5203 | 4348 | 88 | 15 | 1297 | 64457 |
| | | | | | | | | | | | | | |
| TOTAL | 2 | 7432 | 19622 | 4289 | 0 | 8826 | 95 | 31884 | 22167 | 568 | 39 | 6432 | 430417 |
| | **** | 22222 | 02202020 | | | 22020202 | | | = 4240=01 | | 72002002 | | 02002022 |
| W. UPPER PENINSULA | | | | | _ | | | | | 4.00 | | | |
| BARAGA | | 8 | 2794 | 2575 | 0 | 2031 | 0 | 13729 | 6415 | 401 746 | 0 | 1252 | 80744 |
| DICKINSON | | 4 | 4473 | 1230 | • | 1153 2967 | - | 8330 7849 | 4249 5090 | 30 | 0 | 1428 544 | 105134 |
| GOGEBIC | | 1 | 2396 | 2559 590 | 0 | 415 | 0 | 2139 | 1605 | 19 | 0 | 50 | 73040 39249 |
| HOUGHTON | | 3 | 583 1657 | 1519 | 0 | 4619 | 0 | 14521 | 3757 | 135 | 0 | 1076 | 108097 |
| 1RON KEWEENAW | | 0 | 448 | 403 | o | 238 | ŏ | 418 | 449 | 133 | ő | 2 | 6213 |
| MARQUETTE | | 37 | 4288 | 2342 | 0 | 1535 | ő | 15030 | 6070 | 1110 | 0 | 2093 | 131506 |
| ONTONAGON | | í | 3414 | 4340 | ŏ | 2848 | ő | 11846 | 8049 | 28 | ŏ | 104 | 62434 |
| DIVIONABON | | | | | | | | | | | | | |
| TOTAL | | 54 | 20053 | 15558 | 0 | 15806 | 0 | 73862 | 35684 | 2470 | 0 | 6549 | 606417 |
| | ==== | 815358 | ****** | | | 8=88888 | | | | ******* | #22920B | 2000000 | 8=288225 |
| N. LOWER PENINSULA | | | 20-0 | | | | | | 0405 | 2415 | | | 40000 |
| ALCONA | | 0 | 2950 | 0 | 0 | 200 | 0 | 140 | 2422 | 5419 | 531 | 0 | 49235 17685 |
| ALPENA | | 20 | 1882 | - | - | 400 | 0 | 180 | 2462 | 1391 | 55 | 0 | 75 |
| ANTRIM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 94 | 0 | 0 | ŏ | 191 |
| ARENAC BENZIE | | 0 260 | 38 | 52 | 0 | 0 | 0 | 312 | 2080 | 3123 | 198 | 260 | 20717 |
| CHEBOYGAN | | 0 | 626 2554 | 0 | ŏ | 22 | ŏ | 40 | 1465 | 348 | 0 | 0 | 16479 |
| CLARE | | ŏ | 756 | ő | ŏ | - 0 | ŏ | -0 | 634 | 3195 | 46 | ŏ | 25987 |
| CRAWFORD | | 189 | 55 | ŏ | ŏ | 210 | ŏ | 68 | 68 | 177 | 18 | ŏ | 10706 |
| GLADWIN | | 352 | 1389 | ŏ | 104 | 333 | ŏ | 84 | 325 | 1144 | 167 | 52 | 12990 |
| GRAND TRAVERSE | | 208 | 1009 | 61 | 0 | 0 | ŏ | 520 | 1040 | 1560 | 156 | 208 | 13742 |
| 10SC0 | | 0 | 104 | Ō | ŏ | Ŏ | Ŏ | Ó | Ö | 97 | 18 | 0 | 18078 |
| 1SA8ELLA | | 10 | 72 | 0 | 0 | 0 | 0 | 46 | 49 | 910 | 52 | 10 | 1994 |
| KALKASKA | | 31 | 285 | 21 | 0 | 0 | 0 | 104 | 520 | 2082 | 0 | 26 | 12764 |
| LAKE | | 416 | 225 | 43 | Ō | 0 | 0 | 265 | 2276 | 11584 | 577 | 416 | 40242 |
| LEELANAU | | 10 | _73 | 21 | 0 | .0 | 0 | 44 | 10 | 21 | 0 | 0 | 2103 |
| MANISTEE | | 686 | 502 | 88 | 0 | 68 | 0 | 962 | 2205 | 4703 | 1640 | 520 | 34099 |
| MASON | | 312 | 728 | 19 | 0 | 0 | 0 | 312 | 1560 | 4160 2069 | 312 160 | 312 | 18714 18769 |
| MECOSTA | | 0 | 130 | 0 | 0 | 0 | 0 | 24 | 288 | 24 | 100 | 0 | 237 |
| MIDLAND MISSAUKEE | | 52 | 1 936 | ŏ | 0 | 0 | 0 | 52 | 624 | 1080 | 208 | 52 | 14408 |
| MONTMORENCY | | 51 | 2483 | ŏ | ŏ | 22 | ŏ | 212 | 2720 | 5748 | 253 | 10 | 45983 |
| NEWAYGO | | 26 | 63 | ŏ | ŏ | -6 | ŏ | 68 | 1298 | 10683 | 130 | 26 | 26849 |
| OCEANA | | 0 | 48 | ŏ | ŏ | ŏ | ŏ | 48 | 199 | 2248 | 48 | 0 | 7805 |
| OGEMAW | | ŏ | 361 | ŏ | 22 | ŏ | o | 20 | 135 | 256 | 0 | ŏ | 4981 |
| OSCEOLA | | 26 | 521 | ŏ | -0 | ŏ | ŏ | 27 | 3054 | 2993 | 5 5 | 26 | 20298 |
| OSCODA | | 72 | 2943 | 61 | Ó | 44 | Ō | 1012 | 2040 | 10483 | 512 | 26 | 66986 |
| OTSEGO | | 0 | 60 | 0 | 0 | 0 | 0 | 0 | 68 | 0 | 0 | 0 | 2339 |
| PRESQUE ISLE | | 50 | 2508 | 0 | 0 | 111 | 0 | 20 | 1620 | 732 | 0 | 0 | 22567 |
| ROSCOMMON | | 51 | 815 | _0 | 0 | 28 | 0 | 39 | 580 | 9830 | 148 | 26 | 34924 |
| WEXFORD | | 0 | 520 | 52 | 0 | 0 | 0 | 104 | 814 | 3134 | 129 | 0 | 19870 |
| TOTAL | | 2792 | 24637 | 418 | 126 | 1438 | 0 | 4704 | 30600 | 89198 | 4814 | 1970 | 581817 |
| IVIAL | | 222222 | | | | 1-70 | | 7/47 | | | 7017 | | 201011 |
| S. LOWER PENINSULA | | | | - | | | 5.00 | | | - | | | |
| ALLEGAN | | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 398 | 742 | 4 | 0 | 2437 |
| CASS | | ŏ | ó | ŏ | ŏ | ŏ | ŏ | ó | 0 | 0 | Ó | ō | 468 |
| GRAT 10T | | Ö | 19 | Ö | Ö | ŏ | ŏ | 10 | 25 | 486 | 10 | 0 | 1772 |
| 10N1A | | 0 | Ö | 0 | 0 | ŏ | Ŏ | Ö | 0 | 0 | 0 | 0 | 161 |
| KALAMAZOO | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 257 | 23 | 0 | 0 | 505 |
| KENT | | 0 | ī | 0 | 0 | Ō | 0 | _1 | 3 | 62 | 1 | 0 | 176 |
| MONTCALM | | 0 | 77 | 0 | 0 | 0 | 0 | 77 | 273 | 3444 | 77 | 0 | 11780 |
| MUSKEGON | | 0 | 20 | 0 | 0 | 0 | 0 | 20 | 30 | 899 | 20 | 0 | 7393 |
| OTTAWA | | 0 | 14 | 0 | 0 | 0 | 0 | 14 | 21 | 628 | 14 | 0 | 3141 |
| ST.JOSEPH | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | .0 | 0 | 0 | 0 | 9 218 |
| VAN BUREN | | O | | | 0 | 0 | 0 | 0 | 11 | 11 | 0 | | 215 |
| TOTAL | | 0 | 126 | 0 | 0 | 0 | 0 | 126 | 1018 | 6295 | 126 | 0 | |
| - | | | 2222222 | | | | | | | | | | |
| STATE TOTAL | | 0278 | | | 126 | 26070 | | 110576 | 89469 | 98531 | 4979 | | 1646711 |
| | | | | | | | | | | | | | |

(TABEL 11 CONTINUED ON NEXT PAGE)

| (TABLE 11 CONTINUED) | | | | | MINNESO | AI | | | | | | |
|----------------------|-----------------|--------------|-----|----------------|---------------|-----------------|---------|----------------------|----------------|--------|--------------------|---------------|
| | BALSANI FIRI | CEOAR (HEHL) | CK: | JACK: Plne: | RED: PINE: | WHITE: PINE: | SPRUCE: | I TAMA-I HACKI | t t ASH: | | BALSAH: POPLAR: | BASS- WOOD |
| NORTHERN ASPEN-BIRCH | 1 | | | | | | | | | | | |
| CARLTON | 366 | 0 | 0 | 2161 | 24 | 0 | 321 | 92 | 0 | 22368 | 0 | 0 |
| COOK | 3152 | Ö | 0 | 2811 | 118 | ŏ | 14570 | 0 | o | 8001 | 0 | o |
| KOOCHICHING | 28814 | 0 | 0 | 14381 | 2277 | 4006 | 76393 | 19276 | ō | 193457 | 15640 | Ö |
| LAKE | 3541 | Ó | 0 | 22666 | 1605 | 0 | 23324 | 57 | 0 | 16832 | 0 | Ö |
| ST.LOUIS | 15833 | 0 | • | 85638 | 1641 | 1231 | 39085 | 5208 | 4 | 219666 | 7016 | 0 |
| TOTAL | 51706 | 0 | 0 | 127657 | 5665 | 5237 | 153693 | 24633 | 4 | 460324 | 22656 | 0 |
| NORTHERN PINE | | | | | ====== | | | | ****** | | ******* | |
| Altkin | 1026 | 0 | 0 | 707 | 0 | | 1086 | 4582 | 17 | 29251 | 0 | 0 |
| BECKER | 418 | 0 | 0 | 2014 | 0 | 0 | 86 | 397 | - 6 | 1093 | 0 | 1 |
| BELTRAM1 | 12057 | Ŏ | 0 | 13032 | 1089 | 0 | 9025 | 1722 | 167 | 54444 | 58 | Ô |
| CASS | 2477 | ŏ | 0 | 16050 | 827 | 1182 | 1465 | 444 | 42 | 35314 | 0 | 0 |
| CLEARWATER | 1642 | ň | 0 | 7295 | 774 | 0 | 1686 | 3549 | 35 | 14419 | 0 | 0 |
| CROW WING | 78 | 0 | | 10062 | 0 | ŏ | 25 | 0 | 24 | 11568 | 0 | 0 |
| HUBBARO | 571 | Ó | ŏ | 12997 | ŏ | 0 | 442 | 395 | 4 | 36105 | 0 | 0 |
| 1 TASCA | 21972 | ő | 0 | 10871 | 647 | 1138 | 20026 | 5589 | 42 | 88878 | 852 | 0 |
| LAKE OF THE WOODS | 319 | Ó | 0 | 4874 | 0 | 0 | 12999 | 289 | 0 | 4806 | 154 | 0 |
| MAHNOMEN | 0 | Ŏ | ő | 185 | ŏ | 0 | 0 | 48 | 0 | 267 | 0 | 0 |
| ROSEAU | 45 | Ó | Ô | 8389 | 0 | 0 | 4340 | 819 | 0 | 4050 | 0 | 0 |
| WAOENA | 0 | 0 | 0 | 6243 | 0 | Ŏ | 18 | 0 | 0 | 2003 | 0 | G |
| TOTAL | 40605 | C | 0 | 92719 | 3337 | 2320 | 51198 | 17834 | 331 | 282194 | 1064 | 1 |
| CENTRAL HAROWOOD | | | | | | | | | | | | |
| BENTON | | Ó | | 0 | 0 | 0 | 0 | 0 | 0 | 163 | 0 | 0 |
| 1SANT1 | 0 | ő | 0 | Ó | 0 | ő | ō | ŏ | 0 | 500 | 0 | 0 |
| KANABEC | 0 | Ó | 0 | 0 | Ó | ŏ | Ó | Ó | ŏ | 3654 | 0 | 0 |
| MILLE LACS | 0 | Ó | 0 | 0 | Ó | ă | ó | 26 | ō. | 15563 | 0 | 0 |
| MORRISON | 0 | Ó | 0 | 1007 | Ď | ŏ | 0 | 0 | 0 | 25681 | 0 | 0 |
| OTTERTALL | 0 | 0 | 0 | 0 | Ô | ů. | 0 | 42 | 0 | 0 | 0 | 0 |
| PINE | 0 | | 0 | 1115 | Ô | 0 4 | 61 | 24 | 0 | 13540 | 0 | 6 |
| WABASHA | 0 | 0 | 0 | 0 | Ó | Ó | 0 | 0 | 0 | 0 | 0 | 0 |
| WINONA | 0 | Ö | 0 | o | 0 | Ö | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 2122 | 0 | 0 | 61 | 92 | 0 | 61301 | 0 | 0 |
| PRAIRIE ' | | | 8 | | | | | | | | | ,-2===== |
| NORMAN | 0 | 0 | 0 | 42 | 0 | 0 | 0 | 0 | 0 | ٥ | 0 | 0 |
| POLK | ō | ŏ | 0 | 100 | 119 | ŏ | 1610 | 712 | 2 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 142 | 119 | 0 | 1610 | 712 | 2 | 0 | 0 | 0 |
| STATE TOTAL | 92311 | 0 | 0 | 222640 | 9121 | 7537 | 206562 | 43271 | 337 | 803823 | 23720 | 1 |

(TABLE 11 CONTINUED ON NEXT PAGE)

(TABLE 11 CONTINUED)

| UNIT AND COUNTY 1/ | BEECH: | WHITE: Blrch: | YELLOW:C | OTTON-: WOOD: | ELM:H1 | CKORY : | HARD: MAPLE: | SOFT: MAPLE: | RED: OAK: | HITE: OAK: | OTHER: HARD-: WOODS: | ALL SPECIES |
|-----------------------|----------|------------------|-----------|------------------|--------|----------------|-----------------|-----------------|--------------|---------------|----------------------------|----------------|
| NORTHERN ASPEN-BIRC | | | | | | | | | | _ | | |
| CARLTON | 0 | 3602 | 0 | 0 | 0 | 0 | 29 | 14 | 0 | 6 | 0 | 28977 |
| COOK | 0 | 21 | 0 | 0 | 0 | 0 | . 6 | 1 | 0 | 0 | 0 | 28680 |
| KOOCHICHING | 0 | 1219 | 0 | 0 | 645 | 0 | 12 | 16 | 646 | 0 | 0 | 356782 |
| LAKE | 0 | 3466 | 0 | 0 | 0 | 0 | 0 | 0 | ð | 0 | 0 | 71491 |
| ST.LOUIS | 0 | 7200 | 4 | 0 | 6 | 0 | 51 | 83 | 21 | 0 | 0 | 382657 |
| TOTAL | 0 | 15508 | 4 | 0 | 651 | 0 | 68 | 114 | 667 | 0 | 0 | 868587 |
| NORTHERN PINE | 22322222 | | 223-2-022 | 22249 | | | 12201045 | 192229 | | | | |
| Altkin | 0 | 3446 | 1 | 0 | 19 | 0 | 22 | 7 | 1592 | 0 | 4 | 41760 |
| BECKER | Ō | 14 | Ō | Ó | 1 | Ó | 1 | 0 | 10 | 10 | 0 | 4045 |
| BELTRAMI | Ó | 6694 | 7 | 0 | 294 | Ó | 394 | 69 | 51 | 2 | 1 | 99106 |
| CASS | 0 | 3958 | 8 | 0 | 28 | 0 | 60 | 54 | 34 | 0 | 2 | 61945 |
| CLEARWATER | 0 | 1080 | 0 | 0 | 57 | 0 | 103 | 9 | 0 | 0 | 0 | 30649 |
| CROW WING | 0 | 1443 | 2 | 0 | 36 | 0 | 4 | 3 | 1185 | 0 | 2 | 24432 |
| HUBBARD | Ó | 542 | 0 | 0 | 7 | Ó | 4 | 11 | 6 | 0 | 0 | 51084 |
| ITASCA | Ô | 6449 | 14 | 0 | 64 | 0 | 241 | 63 | 8 | 2 | 5 | 156861 |
| LAKE OF THE WOODS | Ŏ | 0 | 0 | Ó | 0 | Ó | 0 | 0 | 0 | 0 | 0 | 23441 |
| MAHNOMEN | Ó | 0 | 0 | 0 | 0 | 0 | 0 | Ó | 0 | 0 | 0 | 500 |
| ROSEAU | ŏ | ŏ | Ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | Ŏ | Ŏ | 17643 |
| WADENA | Ŏ | 318 | 0 | Ó | Ŏ | Ö | Ó | Ö | Ö | Ó | Ó | 8582 |
| TOTAL | 0 | 23944 | 32 | 0 | 506 | 0 | 829 | 216 | 2886 | 14 | 14 | 520048 |
| CENTRAL HARDWOOD | ******** | | | | | | | | | | | |
| BENTON | 0 | 0 | 0 | 0 | _ 0 | 0 | 0 | 0 | 0 | 0 | 0 | 163 |
| ISANT1 | ŏ | ŏ | ŏ | ŏ | - 0 | ŏ | ŏ | ŏ | ŏ | ň | ŏ | 500 |
| KANABEC | ŏ | 711 | ň | ŏ | ŏ | ň | ň | ŏ | 735 | ň | ő | 7300 |
| MILLE LACS | ň | 1665 | ŏ | ŏ | ŏ | ň | ň | ň | 735 | ň | ŏ | 17989 |
| MORRISON | ň | 1347 | ň | ň | ŏ | ň | ň | ŏ | 735 | ň | ő | 28770 |
| OTTERTALL | ň | .57, | ň | ň | ň | ň | ň | ň | 0 | ň | ő | 42 |
| PINE | ň | 799 | ň | ň | ň | ň | ň | 6 | 250 | ň | Ŏ | 15789 |
| WABASHA | ŏ | , , , | ŏ | 312 | 312 | ň | ň | ň | 312 | ň | 312 | 1248 |
| WINONA | ŏ | ŏ | ŏ | 693 | 693 | ŏ | ŏ | ŏ | 693 | ŏ | 693 | 2772 |
| TOTAL | 0 | 4522 | 0 | 1005 | 1005 | 0 | 0 | 0 | 3460 | 0 | 1005 | 74573 |
| PRAIR1E | | | | | | . 22 - 2 2 2 2 | | | 3525272 | | | |
| NORMAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 42 |
| POLK | ŏ | 21 | ŏ | ŏ | 3 | ŏ | ő | ŏ | ŏ | ŏ | ő | 2567 |
| TOTAL | 0 | 21 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 2609 |
| STATE TOTAL | 2222222 | 43995 | 36 | 1005 | 2165 | 0 | 897 | 330 | 7013 | 14 | 1019 | 1465817 |

(TABLE 11 CONTINUED ON NEXT PAGE)

| | | | | | WISCONSI | N | | | | | | |
|--|---|---|---|--|---|--|---|---|--|---|---|---|
| UNIT_ANO | I BALSAMI I FIRI | CEOAR: | IEMLOCK I | JACK: PINE: | REO: PINE: | HHITE: PINE: | SPRUCE: | TAMA-I RACKI | I I ASHI | | BALSAMI POPLARI | BASS- WOOO |
| NORTHEASTERN | | | | | | | | | | | | |
| FLORENCE | 2102 | 45 | 678 | 2971 | 783 | 220 | 684 | 18 | 386 | 35123 | 71 | 83 |
| FOREST | 9318 | 193 | 4182 | 1445 | 3838 | 369 | 1932 | 175 | 1212 | 39233 | 492 | 271 |
| LANGLAGE | 2471 | 0 | 1116 | 65 3 3748 | 613 | 67 | 298 | 80 | 1650 | 51230 | 0 | 173 |
| LINCOLN | 3057 6891 | 0 | 1642 923 | 8313 | 3825 72 4 | 525 218 | 516 | 225 120 | 3726 1422 | 62373 39850 | 0 844 | 2713 |
| MARINETTE OCONTO | 512 | 1 | 1140 | 6371 | 989 | 136 | 2629 205 | 5 | 202 | 27376 | 66 | 66 |
| ONEIOA | 17425 | 0 | 3276 | 6706 | 7755 | 664 | 5601 | 234 | 3647 | 90181 | 8 | 502 |
| SHAWANO 2/ | 254 | ŏ | 16714 | 143 | 915 | 78 | 183 | 234 | 1081 | 2552 | 0 | 5 5 |
| VILA5 | 7058 | ŏ | 2125 | 6608 | 2711 | 656 | 1464 | ő | 266 | 35472 | ő | 132 |
| TOTAL | 49088 | 242 | 31796 | 36958 | 22153 | 2933 | 13512 | 857 | 13592 | 383390 | 1481 | 3946 |
| NORTHWESTERN | ******* | | | | | | ******* | | | | ******** | |
| ASHL ANO | 14956 | 0 | 1214 | 3534 | 2257 | 32 5 | 2520 | 0 | 3835 | 36308 | 0 | 229 |
| BARRON | 0 | ō | 0 | 30 | 3 | 2 | 0 | Ö | 73 | 1645 | Ö | 0 |
| BAYF1EL0 | 2949 | ŏ | 89 | 16247 | 4455 | 597 | 153 | ŏ | 1187 | 57438 | Ö | 72 |
| BURNETT | 31 | 0 | 0 | 15865 | 2531 | 747 | 29 | 174 | 12 | 6625 | 0 | 0 |
| OOUGLAS | 145 | 0 | 0 | 21342 | 1271 | 131 | 33 | 48 | 258 | 31655 | 0 | 8 |
| IRON | 2690 | 0 | 2153 | 243 | 250 | 97 | 273 | 0 | 932 | 32954 | 0 | 446 |
| POLK | 0 | 0 | 0 | 3015 | 711 | 215 | 0 | 21 | 2 | 213 | 0 | 0 |
| PRICE | 9725 | 0 | 1534 | 1267 | 3369 | 340 | 1761 | 270 | 4697 | 62998 | 0 | 680 |
| RUSK | 10 | 0 | 863 | 55 | 22 | 2 | 28 | - 0 | 1053 | 12571 | 0 | 208 |
| SAWYER | 3270 | 0 | 296 | 2287 | 3227 | 368 | 800 | 34 | 2721 | 35868 | 0 | 160 295 |
| TAYLOR WASHBURN | 1535 0 | 0 | 2904 | 345 10862 | 959 2282 | 70 481 | 85 0 | 19 0 | 3384 624 | 28791 35153 | 0 | 14 |
| TOTAL | 35311 | 0 | 9053 | 75092 | 21337 | 3375 | 5682 | 566 | 18778 | 342219 | 0 | 2112 |
| | -200000000 | | | ******** | ******** | | ******* | ******* | ***** | ****** | | |
| CENTRAL | | | | 17052 | 4747 | 1270 | • | 1.0 | 204 | 1706 | ٥ | 56 |
| ADAMS | 0 | 0 | 158 | 17852 | 6763 | 1272 | 0 | 18 40 | 296 241 | 1304 5554 | 0 | 15 |
| CHIPPEWA CLARK | 68 | 0 | 32 | 280 1674 | 157 1820 | 273 | 0 | 0 | 1446 | 5786 | ŏ | 161 |
| EAU CLAIRE | 0 | ŏ | 0 | 2998 | 1545 | 329 | ŏ | 0 | 1440 | 470 | ŏ | 0 |
| JACK50N | 0 | ō | 0 | 13810 | 6002 | 1095 | ŏ | ŏ | 200 | 2537 | 0 | 7 |
| JUNEAU | ŏ | ŏ | ŏ | 12379 | 4208 | 890 | 11 | 5 | 340 | 6272 | ŏ | 82 |
| MARATHON | 645 | ŏ | 2633 | 1203 | 658 | 206 | 46 | ō | 2561 | 30639 | Ö | 33 |
| MARQUETTE | 0 | ō | 0 | 996 | 413 | 95 | 0 | Ö | 441 | 131 | 0 | 21 |
| HONROE | Ö | Ō | Ō | 2309 | 1017 | 176 | Ó | Ö | 48 | 591 | 0 | 1 |
| PORTAGE | 60 | 0 | 251 | 3129 | 2853 | 603 | 43 | 5 | 572 | 5822 | . 0 | 94 |
| WAUPACA | 12 | 0 | 47 | 543 | 333 | 87 | 0 | 10 | 257 | 6878 | 0 | 10 |
| WAUSHARA | 0 | 0 | 0 | 3411 | 1729 | 320 | 0 | _5 | 151 | 133 | 0 | 8 |
| W000 | 8 | 0 | 28 | 23401 | 6309 | 1524 | 1 | 51 | 2369 | 4827 | 0 | 80 |
| TOTAL | 793 | 0 | 3149 | 83985 | 33807 | 6873 | 101 | 134 | 8922 | 70944 | 0 | 568 |
| SOUTHWESTERN | | | | | | | | | | | | |
| CRAWFORO | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 0 |
| DUNN | 0 | 0 | Ō | 122 | 320 | 23 | 0 | Ó | 1Ĭ | 0 | 0 | 0 |
| GRANT | 0 | 0 | 0 | 122 | 320 0 | 23 0 | 0 | 0 | 11 99 | 520 | 0 | 113 |
| GRANT IOWA | 0 0 0 | 0 0 0 | 0 | 122 0 8 | 320 0 44 | 23 0 3 | 0 | 0 | 11 99 0 | 520 0 | 0 0 0 | 113 0 |
| GRANT IOWA LACROSSE | 0 | 0 0 0 | 0 | 122 0 8 181 | 320 0 44 395 | 23 0 3 32 | 0 | 0 0 | 11 99 0 0 | 520 0 0 | 0 0 0 0 | 0 113 0 0 |
| GRANT IOWA LACROSSE PEPIN | 0 0 0 0 | 0 0 0 0 | 0 0 0 | 122 0 8 181 71 | 320 0 44 395 112 | 23 0 3 32 9 | 0 | 0 0 0 | 11 99 0 0 | 520 0 0 | 0 0 0 0 | 113 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO | 0 0 0 | 0 0 0 0 | 0 0 0 0 | 122 0 8 181 71 50 | 320 0 44 395 112 83 | 23 0 3 32 9 7 | 0 | 0 0 0 | 11 99 0 0 0 | 520 0 0 0 | 0 0 0 0 0 | 0 113 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX | 0 0 0 | 0 0 0 0 | 0 | 122 0 8 181 71 50 | 320 0 44 395 112 83 16 | 23 0 3 32 9 7 | 0 | 0 0 0 0 | 11 99 0 0 | 520 0 0 0 0 | 0 0 0 0 0 | 0 113 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK | 0 0 0 0 0 0 | 0 0 0 0 0 | 0 | 122 0 8 181 71 50 6 | 320 0 44 395 112 83 16 306 | 23 0 3 32 9 7 1 22 | 0 0 0 | 0 0 0 0 0 0 | 11 99 0 0 0 0 | 0 520 0 0 0 0 | 0 | 0 113 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX | 0 | 0 0 0 0 | 0 | 122 0 8 181 71 50 | 320 0 44 395 112 83 16 | 23 0 3 32 9 7 | 0 | 0 0 0 0 | 11 99 0 0 0 | 520 0 0 0 0 | 0 0 0 0 0 | 0 113 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU | 0 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 0 1 1 0 | 520 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON | 0 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 0 1 1 0 | 520 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON | 0 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 0 1 1 0 | 520 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN | 000000000000000000000000000000000000000 | 0 | 0 | 122 0 6 181 71 50 6 116 21 0 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 0 0 | 520 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN | 000000000000000000000000000000000000000 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 0 1 1 1 1 1 | 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA | 000000000000000000000000000000000000000 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 575 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 | 0 | 11 99 0 0 0 0 1 0 0 | 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO STCROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE | 000000000000000000000000000000000000000 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 575 | 320 0 44 395 112 83 16 306 35 0 | 23 0 3 32 9 7 1 22 3 0 | 0 0 0 0 0 0 0 0 0 | 0 | 11 99 0 0 0 0 1 1 0 0 1111 | 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC | 000000000000000000000000000000000000000 | 0 | 0 | 122 0 8 181 71 50 6 116 21 0 575 171 0 0 | 320 0 44 395 112 83 16 306 35 0 1311 | 23 0 3 32 9 7 1 22 3 0 | 0 0 0 0 0 0 0 0 0 0 | 0 | 111 999 00 00 00 110 1111 | 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC GREEN LAKE MILWAUKEE OUTAGAMIE | 000000000000000000000000000000000000000 | 0 | 000000000000000000000000000000000000000 | 122 0 8 181 71 50 6 116 21 0 575 355 171 0 44 | 320 0 44 395 112 83 16 306 35 0 1311 | 23 0 3 32 9 7 1 22 3 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 111 99 0 0 0 0 1 1 1 1 1 1 1 1 1 8 0 3 8 | 0 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO STCROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC GREEN LAKE MILWAUKEE | 000000000000000000000000000000000000000 | 0 | 000000000000000000000000000000000000000 | 122 0 8 181 71 50 6 116 21 0 575 171 0 0 44 | 320 0 44 395 112 83 16 306 35 0 1311 | 23 0 3 32 9 7 1 1 22 3 0 | 0 0 0 0 0 0 0 0 0 0 0 | 0 | 111 99 0 0 0 0 1 111 178 8 0 38 | 0 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC GREEN LAKE MILWAUKEE OUTAGAMIE | 000000000000000000000000000000000000000 | 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 122 0 8 181 71 50 6 116 21 0 575 171 0 0 44 0 11 0 0 | 320 0 44 395 112 83 16 306 35 0 1311 | 23 0 3 32 9 7 1 122 3 0 0 75 0 0 3 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 111 99 0 0 0 0 1 111 178 8 0 38 0 2 87 0 | 0 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST-CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC GREEN LAKE MILWAUKEE OUTAGAMIE WASHINGTON | 000000000000000000000000000000000000000 | 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 122 0 8 181 71 50 6 116 21 0 575 171 0 0 44 0 11 0 0 | 320 0 44 395 112 83 16 306 35 0 1311 0 1693 0 0 21 0 96 0 | 23 0 3 32 9 7 1 1 22 3 0 0 7 5 0 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 111 99 0 0 0 0 11 0 178 8 0 38 0 2 87 0 | 0 520 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| GRANT IOWA LACROSSE PEPIN RICHLANO ST.CROIX SAUK TREMPEALEAU VERNON TOTAL SOUTHEASTERN BROWN COLUMBIA OANE FOND OU LAC GREEN LAKE MILWAUKEE OUTAGAMIE WASHINGTON WINNEBAGO | 000000000000000000000000000000000000000 | 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 122 0 8 181 71 50 6 116 21 0 575 171 0 0 44 0 11 0 0 | 320 0 44 395 112 83 16 306 35 0 1311 1693 0 21 0 96 0 0 | 23 0 3 32 9 7 1 22 3 0 0 0 75 0 0 0 3 0 0 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 111 99 0 0 0 0 110 0 178 8 0 38 0 0 2 87 0 | 0 S20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 | 0 113 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |

(TABLE 11 CONTINUED ON NEXT PAGE)

| (TABLE 11 CONTINUED) | | | | | | | | | | | | | |
|----------------------|----|--------|--------|----------|----------|--------|-----------|-----------------|-----------------|--------------|-----------|----------|-------------|
| | : | | | | | | | | | | | OTHER: | |
| COUNTY I/ | : | BEEÇH: | BIRCH: | | COTTON-: | ELM: | H1CKORY: | HARD: MAPLE: | SOFT: MAPLE: | RED: OAK: | WHITE: | HARD-: | SPECIES |
| NORTHEASTERN | | | | | | | | | | | | | |
| FLORENCE | | 0 | 653 | 882 | 0 | 3400 | 0 | 5371 | 882 | 161 | 0 | 228 | 54741 |
| FOREST | | 848 | 1712 | 1218 | ō | 6240 | Ŏ | 11612 | 2153 | 148 | Ó | 1490 | 88081 |
| LANGLADE | | 511 | 591 | 890 | Ó | 8615 | ō | 9967 | 2783 | 460 | Ŏ | 1294 | 83462 |
| LINCOLN | | 0 | 1420 | 2351 | 0 | 10550 | 102 | 12464 | 4904 | 1030 | 0 | 1067 | 116238 |
| MARINETTE | | 767 | 1282 | 33 | 0 | 4814 | 0 | 3409 | 2608 | 861 | 85 | 255 | 76117 |
| OCONTO | | 106 | 962 | 153 | 0 | 676 | 0 | 970 | 1044 | 64 | 10 | 37 | 41026 |
| ONE 1DA | | 0 | 8067 | 3129 | 0 | 4185 | 0 | 8740 | 8448 | 4218 | 0 | 1131 | 173917 |
| SHAWANO 2/ | | 2829 | 219 | 55 | 0 | 13665 | 798 | 1795 | 743 | 148 | 1 | 823 | 43001 |
| VILAS | | 0 | 11147 | 2642 | 0 | 1770 | 0 | 8627 | 1831 | 1216 | 73 | 378 | 84176 |
| TOTAL | | 5061 | 26053 | 11353 | 0 | 53915 | 900 | 62955 | 25396 | 8306 | 169 | | 760759 |
| NORTHWESTERN | == | | | | | | | | | | | | 12-01-01-01 |
| ASHLAND | | 0 | 4460 | 1521 | 0 | 4985 | 0 | 9144 | 5047 | 721 | 85 | 343 | 91484 |
| BARRON | | 0 | 22 | 90 | 0 | 137 | 0 | 266 | 76 | 53 | 0 | 24 | 2421 |
| BAYF IELO | | Ö | 12438 | 581 | Ó | 1569 | Ō | 3036 | 1526 | 1034 | 95 | 134 | 103600 |
| BURNETT | | Ó | 29 | 39 | 0 | 46 | Ó | 113 | 51 | 49 | 6 | 4 | 26351 |
| DOUGLAS | | Ô | 1600 | 136 | 0 | 422 | ō | 516 | 256 | 107 | 9 | 60 | 57997 |
| IRON | | 0 | 3362 | 1066 | 0 | 1839 | 0 | 3705 | 1089 | 285 | 4 | 235 | 51623 |
| POLK | | 0 | 10 | 2 | 0 | 7 | Ō | 10 | 10 | 16 | 3 | 0 | 4235 |
| PRICE | | Ō | 11328 | 3840 | Ó | 6604 | Ŏ | 11025 | 4503 | 838 | 41 | 622 | 125442 |
| RUSK | | 0 | 659 | 801 | 0 | 2341 | 0 | 3012 | 1223 | 410 | 23 | 238 | 23519 |
| SAWYER | | 0 | 8208 | 961 | 0 | 3989 | 0 | 5575 | 2985 | 1526 | 232 | 342 | 72849 |
| TAYLOR | | 0 | 3300 | 2697 | 0 | 14084 | 149 | 10752 | 5650 | 1892 | 47 | 404 | 77362 |
| WASHBURN | | 0 | 965 | 389 | 0 | 1035 | 0 | 1412 | 671 | 586 | 56 | 162 | 54692 |
| TOTAL | | 0 | 46381 | 12123 | 0 | 37058 | 149 | 48566 | 23087 | 7517 | 601 | 2568 | 691575 |
| CENTRAL | | | | | | | | | | | | | |
| ADAMS | | 1 | 142 | 28 | 0 | 670 | 0 | 352 | 892 | 10861 | 2283 | 166 | 42956 |
| CHIPPEWA | | 104 | 652 | 135 | ŏ | 1266 | 0 | 588 | 535 | 532 | 75 | 96 | 10499 |
| CLARK | | 104 | 335 | 286 | ŏ | 4075 | ŏ | 2930 | 4327 | 9942 | 2620 | 337 | 36046 |
| EAU CLAIRE | | ō | 333 | 0 | ŏ | 0 | ŏ | 0 | 4321 | 0 | 0 | 0 | 5342 |
| JACKSON | | i | 163 | 32 | ŏ | 571 | ŏ | 269 | 515 | 3064 | 579 | 37 | 28882 |
| JUNEAU | | ô | 0 | 0 | ŏ | 807 | ŏ | 345 | 915 | 5310 | 1398 | 189 | 33151 |
| MARATHON | | ĭ | 712 | 2070 | ŏ | 21806 | 259 | 9640 | 10342 | 6182 | 23 | 350 | 90009 |
| MARQUETTE | | ō | 1 | 0 | ŏ | 1493 | 0 | 301 | 988 | 2747 | 620 | 102 | 8349 |
| MONROE | | Ó | 52 | 10 | Ó | 117 | ŏ | 65 | 138 | 438 | 85 | 0 | 5047 |
| PORTAGE | | ŏ | 196 | 83 | Ö | 2592 | ŏ | 1005 | 1803 | 4415 | 1254 | 156 | 24936 |
| WAUPACA | | 0 | 18 | 30 | 0 | 836 | 0 | 255 | 636 | 433 | 81 | 31 | 10497 |
| WAUSHARA | | Ö | 4 | 1 | Ō | 522 | Ŏ | 140 | 338 | 575 | 143 | 35 | 7515 |
| WOOD | | 1 | 412 | 84 | Ó | 5527 | Ö | 2427 | 5706 | 17989 | 5162 | 134 | 76040 |
| TOTAL | | 110 | 2687 | 2759 | 0 | 40282 | 259 | 18317 | 27135 | 62488 | 14323 | 1633 | 379269 |
| | 28 | | | | 0223000 | | 2-35-4-35 | | | | | | |
| SOUTHWESTERN | | | • | • | • | | | | | • | | | 12 |
| CRAWFORD | | 0 | . 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| DUNN | | 0 | 14 | 0 | .0 | 37 | 0 | . 22 | 24 | 0 | 0 | 0 | 573 3461 |
| GRANT IOWA | | 0 | 251 | 0 | 18 | 212 | 0 | 186 | 125 | 1408 | 529 | 0 | 3401 55 |
| LACROSSE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 1 | 0 | 615 |
| PEP1N | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 192 |
| RICHLAND | | 0 | 0 | Ů | Ů | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 140 |
| ST.CROIX | | 0 | 0 | - | 0 | 0 | 0 | - | - | - | ő | 0 | 23 |
| SAUK | | Ů | 2 | 0 | Ů | 0 5 | 0 | 0 3 | 0 | 0 304 | 53 | 0 | 814 |
| TREMPEALEAU | | ŏ | 0 | ŏ | ő | 0 | ů | 0 | 0 | 35 | 6 | 0 | 100 |
| VERNON | | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | 0 | 0 | Ó | 0 |
| TOTAL | | 0 | 267 | 0 | 18 | 254 | 0 | 211 | 151 | 1753 | 589 | 0 | 5985 |
| SOUTHEASTERN | 82 | | | | | | 220222001 | 00000000 | 12900000 | 102081075 | ********* | 10000000 | 100000000 |
| BROWN | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 438 |
| COLUMBIA | | 8 | 12 | 3 | 0 | 502 | 0 | 122 | 97 | 1571 | 349 | 106 | 4890 |
| DANE | | 0 | 0 | 2 | 0 | 34 | 0 | 18 | 4 | 26 | 0 | 55 | 160 |
| FOND DU LAC | | Ů | Ö | 0 | Ů | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 23 |
| GREEN LAKE | | 10 | 9 | 2 | 0 | 70 | Ů | 36 | 22 | Ů | 0 | 0 | 260 |
| MILWAUKEE | | 10 | 0 | 0 | ŏ | 1494 | Ů | 30 | 22 | ŏ | 0 | ő | 1494 |
| OUTAGAMIE | | ő | 10 | 2 | 0 | 7 | 0 | 11 | 10 | 0 | 0 | 0 | 843 |
| WASHINGTON | | 0 | 2 | 18 | ŏ | 322 | 0 | 105 | 47 | 36 | ŏ | 110 | 727 |
| WINNEBAGO | | ŏ | 0 | 0 | ŏ | 0 | ŏ | 0 | 0 | 0 | 0 | 0 | 21 |
| TOTAL | | 18 | 33 | 27 | 0 | 2429 | 0 | 292 | 180 | 1633 | 349 | 271 | 8856 |
| STATE TOTAL | | 5189 | 75421 | 26262 | 18 | 133938 | 1308 | 130341 | 75949 | 81697 | 16031 | | 1846444 |
| | | | | | | | | | | | | | |

^{1/} INCLUDES ONLY THOSE COUNTIES THAT SUPPLIED PULPWOOD IN 1974.
2/ INCLUDES MENOMINEE COUNTY.

Table 12.--Central States pulpwood production by State and destination, 1970-1974 (In thousand standard cords)

| | : Illinois : | | | | Indiana | : | Iowa : | | | Missouri | | | |
|------|--------------|----------|---------|-------|-----------|---------|--------|------------|---------|----------|----------|---------|--|
| Year | : : | Destina | tion : | | : Destina | tion : | | : Destina | tion : | : | Destin | ation | |
| rear | :Total: | Central: | Other: | Total | :Central: | Other: | Tota: | l:Central: | Other: | Total | :Central | : Other | |
| | : : | States: | States: | | : States: | States: | | : States: | States: | | States | :States | |
| 1970 | 118 | 110 | 8 | 148 | 95 | 53 | 58 | 57 | 1 | 82 | 57 | 25 | |
| 1971 | 133 | 99 | 34 | 139 | 77 | 62 | 53 | 52 | 1 | 97 | 62 | 35 | |
| 1972 | 139 | 103 | 36 | 152 | 71 | 81 | 55 | 54 | 1 | 117 | 78 | 39 | |
| 1973 | 146 | 124 | 22 | 148 | 80 | 68 | 48 | 46 | 2 | 112 | 63 | 49 | |
| 1974 | 131 | 98 | _33 | 159 | 84 | 7.5 | 59 | 57 | 2 | 137 | 7.7 | 60 | |

Table 13.--Trends in receipts of roundwood and residue as pulpwood, Central States, 1970-1974

(In thousand standard cords, unpeeled)

| Type of Material | and Area: | 1970: | 1971: | 1972: | 1973: | 1974 |
|------------------|-----------|-------|-------|-------|-------|------|
| Roundwood | | | | | | |
| Illinois | | 62 | 57 | 67 | 70 | 56 |
| Indiana, Iowa, | Missouri | 131 | 107 | 99 | 106 | 93 |
| Total | | 193 | 164 | 166 | 176 | 149 |
| Residue | | | | | | |
| Illinois | | 100 | 107 | 116 | 122 | 104 |
| Indiana, Iowa, | Missouri | 68 | 67 | 74 | 81 | 100 |
| Total | | 168 | 174 | 190 | 203 | 204 |
| All Material | | 361 | 338 | 356 | 379 | 353 |

Blyth, James E., and Jerold T. Hahn.
1976. Pulpwood production in the North Central Region by county, 1974. USDA For. Serv. Resour. Bull. NC-29,

Discusses 1974 pulpwood production and receipts and recent production trends in the Lake States and Central States. Gives pulpwood production in the Lake States by species for each county, and compares production by Forest Survey Unit with that of previous years. For the Central States, presents 1974 pulpwood production and receipt data by State, and shows four production classes by county.

26 p., illus. North Cent. For. Exp. Stn., St. Paul, Minn.

OXFORD: 861.0(77):792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.

Blyth, James E., and Jerold T. Hahn.

1976. Pulpwood production in the North Central Region by county, 1974. USDA For. Serv. Resour. Bull. NC-29, 26 p., illus. North Cent. For. Exp. Stn., St. Paul, Minn.

Discusses 1974 pulpwood production and receipts and recent production trends in the Lake States and Central States. Gives pulpwood production in the Lake States by species for each county, and compares production by Forest Survey Unit with that of previous years. For the Central States, presents 1974 pulpwood production and receipt data by State, and shows four production classes by county.

OXFORD: 861.0(77):792. KEY WORDS: roundwood, residue, receipts, Lake States, Central States.

